

**Report on the
17th International Workshop on
Computational Physics and Materials Science:
Total Energy and Force Methods**

Trieste (Italy)

January 15-17, 2015

**The Abdus Salam International Centre
for Theoretical Physics (ICTP)
Psi-k Network
International School for Advanced Studies (SISSA)
Centre Européen de Calcul Atomique et Moléculaire (CECAM)
Consorzio per la Fisica-Trieste**

Organizers: E. Koch, S. Louie, and S. Scandolo

<http://indico.ictp.it/event/a14243/>

This year's "Total Energy" workshop took place at the ICTP in Trieste on 15-17 January. It was the 17th in a very successful series of workshops which was started in 1983 and is, since 1987, held every two years at the ICTP. As the previous workshops in the series, it was devoted to recent developments in the field of electronic structure methods and their applications to a fast growing range of materials and systems. Even without the hands-on school that is usually held right after the workshop in Trieste, the high-profile program drew about 200 participants from 40 countries. The talks were organized in 10 thematic sessions in which the oral presentations were by invitation only (25 invited speakers). Besides two keynote talks honoring the contributions of David Vanderbilt and Stefano Baroni to our field, the topics of the sessions included:

- fundamentals of density-functional theory
- advances in quantum Monte Carlo
- calculation of excitation spectra beyond GW
- topological invariants in solids
- electronic properties of low-dimensional systems
- complex first-principles simulations
- molecular magnetism
- electronic structure at interfaces

The talks were given by internationally recognized experts and featured some of the most significant advances in method development and applications to materials that occurred in the past few years. They stimulated very lively scientific discussions and exchanges of ideas, which continued during the coffee and lunch breaks. All oral presentations were given in the ICTP Main Lecture Hall of the Leonardo da Vinci Building.

In addition the workshop had two vibrant poster sessions with about 120 poster presentations. The poster sessions took place on the evenings of January 15 and 16 at the lower floor of the Adriatico Guesthouse. A buffet was served during these two poster sessions. The high attendance and very lively discussions at these sessions that continued well beyond the end of the sessions confirmed the high success of this format.

The workshop was cosponsored by ICTP and also by several other institutions including the International School for Advanced Studies (SISSA), the Centre Européen de Calcul Atomique et Moléculaire (CECAM), and the Consorzio per la Fisica-Trieste. The Psi-k contribution was used mainly to support the travel and accommodation of young European invited speakers from the Psi-k community. This support was crucial for the success of the workshop. All the institutions that supported this workshop are warmly thanked by the organizers and participants.

Programme

	Thursday, 15 January 2015
08:00	Registration
	SESSION 1: Quantum Chemistry Chairperson: Sandro Scandolo (ICTP)
09:00	<i>Recent Developments in FCIQMC</i> Ali ALAVI (MPI Stuttgart)
09:30	<i>The Density-Matrix Quantum Monte Carlo Method</i> Matthew FOULKES (Imperial College)
10:00	Coffee Break
	SESSION 2: Low-dimensional Systems Chairperson: Francesco Mauri (Université Pierre et Marie Curie)
10:30	<i>Monolayer of 1TMoS₂: The Thinnest Ferroelectric?</i> Sharmila SHIRODKAR (JNCASR, Bangalore)
11:00	<i>Optical spectra of MoS₂: dependence on substrate and electron-phonon coupling</i> Ludger WIRTZ (Université Luxembourg)
11:30	<i>Quantum transport in N-doped graphene and in atomic carbon chains</i> Jean-Christophe CHARLIER (Université Louvain)
12:00	Lunch Break
	SESSION 3: Topological Invariants Chairperson: Warren Pickett (UC Davis)
14:00	<i>Topological physics of transition-metal oxide (111)-bilayers</i> Satoshi OKAMOTO (ORNL)
14:30	<i>Searching for topological semi-??metals in realistic materials</i> Xi DAI (Inst. of Physics, CAS)
15:00	<i>Edge states in graphene nanostructures on metal surfaces</i> Riccardo MAZZARELLO (RWTH Aachen)
15:30	Coffee Break
	SESSION 4: Excitation Spectra Chairperson: Ralph Gebauer
16:00	<i>Electronic, optical and vibronic coupling in organic systems from many-body perturbation theory</i> Xavier BLASE (Institut Néel, Grenoble)
16:30	<i>Ab initio description of exciton dispersion</i> Francesco SOTTILE (École Polytechnique)
17:00	<i>Spectroscopic properties beyond standard GW</i> Johannes LISCHNER (Imperial College)
	POSTER SESSION 1
17:30	Poster setup
19:00	Poster session / free discussions

	Friday, 16 January 2015
	SESSION 5: In Honor of David Vanderbilt Chairperson: Shobhana Narasimhan (JNCASR)
09:00	<i>DAVID VANDERBILT@60, And his influence on recent theories of electron-phonon interactions and superconductivity</i> Marvin COHEN (UC Berkeley)
10:00	Coffee Break
	SESSION 6: First-Principles Simulations Chairperson: Steven Louie (University of California at Berkeley)
10:30	<i>Seeing the covalent bond: Simulating Atomic Force Microscopy Images</i> Jim CHELIKOWSKY (U of Texas at Austin)
11:00	<i>Quantum-size effects on vibrations and electron-phonon coupling in thin Pb(111) films</i> Rolf HEID (KIT Karlsruhe)
11:30	<i>Electric field at the microscopic level: from water dissociation to Miller-like experiments</i> Marco SAITTA (Université Pierre et Marie Curie)
12:00	Lunch Break
	SESSION 7: Molecular Magnets Chairperson: Richard Martin (Stanford University)
14:00	<i>Electronic Structure of Molecular Magnets: Successes within GGA and Challenges for SIC</i> Mark PEDERSON (Johns Hopkins University)
14:30	<i>Many-body models for molecular nanomagnets</i> Eva PAVARINI (FZ Jülich)
15:00	<i>From molecular magnetism towards molecular spintronics</i> Jens KORTUS (TU Freiberg)
15:30	Coffee Break
	SESSION 8: Fundamentals of DFT Chairperson: Lucia Reining (École Polytechnique, Palaiseau)
16:00	<i>Spectroscopic observables from DFT and TDDFT: limitations and hopes</i> Stephan KÜMMEL (Universität Bayreuth)
16:30	<i>Development and Applications of Potential-Based Density-Functional Theory</i> Viktor STAROVEROV (Western University)
17:00	<i>Reduced Density-Matrix Functional Theory: correlation and spectroscopy</i> Pina ROMANIELLO (Université Toulouse)
	POSTER SESSION 2
17:30	Poster setup
19:00	Poster session / free discussions

	Saturday, 17 January 2015
	SESSION 9: In Honor of Stefano Baroni Chairperson: Nicola Marzari (EPF Lausanne)
09:00	<i>Water: from deep undercooling to ultrahigh pressure</i> Roberto CAR (Princeton University)
10:00	Coffee Break
	SESSION 10: Interfaces Chairperson: Erik Koch (Forschungszentrum Jülich)
10:00	<i>Confinement-induced electronic reconstruction in (001) and (111) oriented perovskite superlattices</i> Rossitza PENTCHEVA (Universität Duisburg-Essen)
10:30	<i>First-principles dynamical mean-field perspective on electron correlation and magnetism in oxide heterostructures</i> Frank LECHERMANN (Universität Hamburg)
11:00	<i>Engineering polar discontinuities in honeycomb lattices</i> Marco GIBERTINI (EPF Lausanne)
11:30	Closing remarks

The abstracts of the presented papers and the list of participants can be downloaded from the workshop website at <http://indico.ictp.it/event/a14243/>



The Abdus Salam
**International Centre
for Theoretical Physics**



United Nations
Educational, Scientific and
Cultural Organization



IAEA
International Atomic Energy Agency

17th International Workshop on Computational Physics and Materials Science: Total Energy and Force Methods

15 - 17 January 2015

(Miramare, Trieste, Italy)

Co-sponsored by:

Centre Europeen de Calcul Atomique et Moléculaire (CECAM)

Consorzio per la Fisica - Trieste

Psi-K

International School for Advanced Studies (SISSA)



Workshop Website:

<http://indico.ictp.it/event/a14243>

Organizing Committee:

Steven LOUIE University of California at Berkeley, USA
sglouie@berkeley.edu

Erik KOCH Forschungszentrum Jülich, Germany
e.koch@fz-juelich.de

Local Organizer:

Sandro SCANDOLO ICTP, Trieste, Italy
scandolo@ictp.it

Scientific Committee:

W. Andreoni (EPF Lausanne, Switzerland)

A. Baldereschi (EPF Lausanne, Switzerland)

C. Filippi (University of Twente, The Netherlands)

M. Finnis (Imperial College, UK)

G. Galli (University of California at Davis, USA)

Xin-Gao Gong (Fudan University, P.R. China)

J. Ihm (Seoul National University, Korea)

E. Koch (Forschungszentrum Jülich, Germany)

S. Louie (University of California at Berkeley, USA)

R.M. Martin (Stanford University, USA)

N. Marzari (EPF Lausanne, Switzerland)

F. Mauri (Universite Pierre et Marie Curie, France)

S. Narasimhan (JNCASR, Bangalore, India)

W. Pickett (UC Davis, USA)

L. Reining (Ecole Polytechnique, Palaiseau, France)

C O N T E N T S

PROGRAMME

ABSTRACTS OF INVITED TALKS

TITLES OF POSTERS

LIST OF PARTICIPANTS

PROGRAMME

International Workshop on Computational Physics and Materials Science: Total Energy and Force Methods | (smr 2703)

Thursday, 15 January 2015

08:00 - 09:00 Registration

All those attending the activity are required to complete registration formalities at the desk in the Leonardo da Vinci Building entrance.

Location: Leonardo da Vinci Building, Lobby

09:00 - 10:00 Quantum Chemistry

Convener: Sandro Scandolo (ICTP)

09:00 **Recent Developments in FCIQMC** 30'

Speaker: Ali ALAVI (MPI Stuttgart)

Material: [Abstract](#)

09:30 **The Density-Matrix Quantum Monte Carlo Method** 30'

Speaker: Matthew FOULKES (Imperial College)

Material: [Abstract](#)

10:00 - 10:30 Coffee break

Location: Leonardo da Vinci Building, Lobby

10:30 - 12:00 Low-dimensional Systems

Convener: Francesco Mauri (Universite Pierre et Marie Curie)

10:30 **Monolayer of 1TMoS₂: The Thinnest Ferroelectric?** 30'

Speaker: Sharmila SHIRODKAR (JNCASR, Bangalore)

Material: [Abstract](#)

11:00 **Optical spectra of MoS₂: dependence on substrate and electron-phonon coupling** 30'

Speaker: Ludger WIRTZ (Universite Luxembourg)

Material: [Abstract](#)

11:30 **Quantum transport in N-doped graphene and in atomic carbon chains** 30'

Speaker: Jean-Christophe CHARLIER (Universite Louvain)

Material: [Abstract](#)

12:00 - 14:00 Lunch break

14:00 - 15:30 Topological Invariants

Convener: Warren Pickett (UC Davis)

14:00 **Topological physics of transition-metal oxide (111)-bilayers** 30'

Speaker: Satoshi OKAMOTO (ORNL)

Material: [Abstract](#)

14:30 **Searching for topological semi-metals in realistic materials** 30'

Speaker: Xi DAI (Inst. of Physics, CAS)

Material: [Abstract](#)

15:00 **Edge states in graphene nanostructures on metal surfaces** 30'

Speaker: Riccardo MAZZARELLO (RWTH Aachen)

Material: [Abstract](#)

15:30 - 16:00 Coffee break

Location: Leonardo da Vinci Building, Lobby

16:00 - 17:30 Excitation Spectra

Convener: Ralph Gebauer (ICTP)

16:00 **Electronic, optical and vibronic coupling in organic systems from many-body perturbation theory** 30'

Speaker: Xavier BLASE (Institut Neel, Grenoble)

Material: [Abstract](#)

16:30 **Ab initio description of exciton dispersion** 30'

Speaker: Francesco SOTTILE (Ecole Polytechnique)

Material: [Abstract](#)

17:00 **Spectroscopic properties beyond standard GW** 30'

Speaker: Johannes LISCHNER (Imperial College)

Material: [Abstract](#)

18:00 - 20:00 Poster Session

An informal buffet will be served to all participants during the poster session.

Friday, 16 January 2015

09:00 - 10:00

In Honor of David Vanderbilt

Convener: Shobhana Narasimhan (JNCASR)

09:00 **DAVID VANDERBILT@60, And his influence on recent theories of electron-phonon interactions and superconductivity** 1h0'

Speaker: Marvin COHEN (UC Berkeley)

Material: [Abstract](#)

10:00 - 10:30

Coffee break

Location: Leonardo da Vinci Building, Lobby

10:30 - 12:00

First-Principles Simulations

Convener: Steven Louie (University of California at Berkeley)

10:30 **Seeing the covalent bond: Simulating Atomic Force Microscopy Images** 30'

Speaker: Jim CHELIKOWSKY (U of Texas)

Material: [Abstract](#)

11:00 **Quantum-size effects on vibrations and electron-phonon coupling in thin Pb(111) films** 30'

Speaker: Rolf HEID (KIT Karlsruhe)

Material: [Abstract](#)

11:30 **Electric field at the microscopic level: from water dissociation to Miller-like experiments** 30'

Speaker: Marco SAITTA (Universite Pierre et Marie Curie)

Material: [Abstract](#)

12:00 - 14:00

Lunch break

14:00 - 15:30

Molecular Magnets

Convener: Richard Martin (Stanford University)

14:00 **Electronic Structure of Molecular Magnets: Successes within GGA and Challenges for SIC** 30'

Speaker: Mark PEDERSON (JHU)

Material: [Abstract](#)

14:30 **Many-body models for molecular nanomagnets** 30'

Speaker: Eva PAVARINI (FZ Juelich)

Material: [Abstract](#)

15:00 **From molecular magnetism towards molecular spintronics** 30'

Speaker: Jens KORTUS (TU Freiberg)

Material: [Abstract](#)

15:30 - 16:00

Coffee break

Location: Leonardo da Vinci Building, Lobby

16:00 - 17:30

Fundamentals of DFT

Convener: Lucia Reining (Ecole Polytechnique, Palaiseau)

16:00 **Spectroscopic observables from DFT and TDDFT: limitations and hopes** 30'

Speaker: Stephan KUEMMEL (Universitaet Bayreuth)

Material: [Abstract](#)

16:30 **Development and Applications of Potential-Based Density-Functional Theory** 30'

Speaker: Viktor STAROVEROV (Western University)

Material: [Abstract](#)

17:00 **Reduced Density-Matrix Functional Theory: correlation and spectroscopy** 30'

Speaker: Pina ROMANIELLO (Universite Toulouse)

Material: [Abstract](#)

18:00 - 20:00

Poster Session

An informal buffet will be served to all participants during the poster session.

Saturday, 17 January 2015

09:00 - 10:00

In Honor of Stefano Baroni

Convener: Nicola Marzari (EPF Lausanne)

09:00 **Water: from deep undercooling to ultrahigh pressure** 1h0'

Speaker: Roberto CAR (Princeton University)

Material: [Abstract](#)

10:00 - 11:30

Interfaces

Convener: Erik Koch (Forschungszentrum Jülich)

10:00 **Confinement-induced electronic reconstruction in (001) and (111) oriented perovskite superlattices** 30'

Speaker: Rossitza PENTCHEVA (Universitaet Duisburg-Essen)

Material: [Abstract](#)

10:30 **First-principles dynamical mean-field perspective on electron correlation and magnetism in oxide heterostructures** 30'

Speaker: Frank LECHERMANN (Universitaet Hamburg)

Material: [Abstract](#)

11:00 **Engineering polar discontinuities in honeycomb lattices** 30'

Speaker: Marco GIBERTINI (EPF Lausanne)

Material: [Abstract](#)

ABSTRACTS
OF
INVITED TALKS
(in alphabetical order)

Recent developments in FCIQMC

Ali Alavi

Max Planck Institute for Solid State Research, Heisenbergstr 1, 70569
Stuttgart, Germany

and

Department of Chemistry, University of Cambridge

We will outline several developments in full Configuration Interaction Quantum Monte Carlo (FCIQMC) methodology which my group has implemented recently. These include a new non-uniform method to generate excitations, which greatly increases the efficiency of the method (while not compromising the accuracy), and a method to compute reduced density matrices in an unbiased fashion from the stochastically sampled wavefunction. Applications of the new methodology to the calculation of properties such as nuclear gradients, dipole moments and polarisabilities will be presented. We will also present results on a 3-band model of a strongly correlated cuprate, as well as new benchmark calculations of the ionisation potentials of 3d transition metal atoms.

Electronic, optical and vibronic coupling in organic systems from many-body perturbation theory

Xavier Blase

Institut Néel, CNRS and Grenoble University, Grenoble, France.

The ability of the *GW* and Bethe-Salpeter Green's function many-body perturbation theories to describe the electronic and optical properties of isolated molecules and complexes is being explored by several groups worldwide. While difficulties exist, related e.g. to the starting point dependency, the effect of self-consistency at various levels, or the specific convergence problems for isolated molecules or clusters, we will show that this family of techniques provide reliable results for the description of problematic systems, such as transition-metal containing molecules [1] and the important family of cyanine dyes, [2] or important physical phenomena such as charge transfer excitations [3] and electron-vibration coupling. [4] In the later case, we will summarize in particular our attempts to provide a description of electron-phonon coupling properties within simplified *GW* schemes.

Acknowledgements. Work done in collaboration with C. Faber, P. Boulanger, C. Attaccalite, V. Olévano, and I. Duchemin (Grenoble, France); S. Korbelt, M.A.L. Marques, S. Botti (Lyon, France); D. Jacquemin (Nantes, France), D. Beljonne (Mons, Belgium), M. Côté (Montréal, Canada) and E. Runge (Ilmenau, Germany).

References:

- [1] S. Korbelt *et al.*, J. Chem. Theory Comput. **10**, 3934 (2014).
- [2] P. Boulanger *et al.*, J. Chem. Theory Comput. **10**, 1212 (2014); P. Boulanger *et al.*, J. Chem. Theory Comput. **10**, 4548 (2014).
- [3] X. Blase, C. Attaccalite, Appl. Phys. Lett. **99**, 171909 (2011); I. Duchemin, T. Deutsch, X. Blase, Phys. Rev. Lett. **109**, 167801 (2012); I. Duchemin and X. Blase, Phys. Rev. B **87**, 245412 (2013); C. Faber *et al.*, J. Chem. Phys. **139**, 194308 (2013).
- [4] C. Faber *et al.*, Phys. Rev. B **84**, 155104 (2011); S. Ciuchi *et al.*, Phys. Rev. Lett. **108**, 256401 (2012).

Water: from deep undercooling to ultrahigh pressure

Roberto Car,

Princeton University, Princeton, New Jersey 08544, USA

The structure and dynamics of water change dramatically with mutated thermodynamic conditions, from glassy polymorphs, to metastable and stable liquids, all the way to superionic ice forms at extreme pressure and temperature. The huge range of time scales that characterizes these different states of matter cannot be spanned by a unique simulation approach, but requires models with different levels of coarse graining, ranging from continuous random networks and empirical force fields to ab-initio molecular dynamics approaches.

Quantum transport in N-doped graphene and in atomic carbon chains

Andrés R. Botello-Méndez, Aurélien Lherbier and Jean-Christophe Charlier

University of Louvain, Institute of Condensed Matter and Nanosciences, Belgium

The incorporation of foreign atoms into graphene has been widely investigated in order to modify its electronic and chemical properties. In contrast with conventional materials, the effect of foreign atoms in a 2D material is expected to depend significantly on the position and the local environment of each atom due to the quantum confinement of the electrons. When a nitrogen source is introduced during the CVD growth of graphene, the nitrogen incorporation exhibits a preferential accommodation within one of the two triangular sublattices that compose the honeycomb network [1]. *Ab initio* STM images and computed local density of states reveal specific signatures for each type of nitrogen defects, which are then correlated with experimental STM/STS measurements, thus confirming such an unbalanced sublattice N-doping in graphene (although not hitherto understood). Electronic structure and transport properties of N-doped graphene with a single sublattice preference are then investigated using both first-principles techniques and a real-space Kubo-Greenwood approach [2]. Such a breaking of the sublattice symmetry leads to the appearance of a true band gap in graphene electronic spectrum even for a random distribution of the N dopants. In addition, a natural spatial separation of both types of charge carriers at the band edge is observed, leading to a highly asymmetric electronic transport. For such N-doped graphene systems, the carrier at the conduction band edge present outstanding transport properties including long mean free paths, high mobilities and conductivities. Such a transport behavior can be explained by a non-diffusive regime (quasi-ballistic transport behavior at the conduction band edge), and originates from a low scattering rate [2]. The presence of a true band gap along with the persistence of carriers traveling in an unperturbed sublattice suggest the use of such N-doped graphene in G-FET applications, where a high I_{ON}/I_{OFF} ratio is expected. The present *ab initio* simulations should encourage more investigation and specific transport measurements on N-doped graphene samples where such an unbalanced sublattice doping is observed.

Carbyne, the sp^1 -hybridized phase of carbon, is still a missing link in the family of carbon allotropes. Despite many efforts in synthetic chemistry, bulk phases of carbyne remain elusive, and this type of carbon material is believed to be unstable. However, in recent years the elementary constituents of carbyne, i.e., linear chains of carbon atoms, have been observed in the electron microscope. Hence, isolated atomic chains exist and are highly interesting one-dimensional conductors that have stimulated considerable theoretical work. Because of the challenge involved in the controlled synthesis and characterization of carbon chains, experimental information is still very limited. Recently, detailed electrical measurements and first-principles electronic transport calculations have been performed on monoatomic carbon chains [3-4]. When the 1D system is under strain, the current-voltage curves exhibit a semiconducting behavior, which corresponds to the polyyn structure of the atomic chain with alternating single and triple bonds. Conversely, when the chain is unstrained, the ohmic behavior is observed in agreement with the metallic cumulene structure with double bonds. This confirms a recent theoretical prediction, namely that a metal-insulator transition can be induced by adjusting the strain. The key role of the contacting leads is also scrutinized by *ab initio* quantum conductance calculations, explaining the rectifying behavior measured in monoatomic carbon chains in a non-symmetric contact configuration.

- [1] R. Lv, Q. Li, A.R. Botello-Mendez, *et al.*, Scientific Reports **2**, 586 (2012)
- [2] A. Lherbier, A.R. Botello-Mendez, and J.-C. Charlier, Nano Lett. **13**, 1446 (2013)
- [3] O. Cretu, A.R. Botello-Mendez, I. Janowska, C. Pham-Huu, J.-C. Charlier, and F. Banhart, Nano Lett. **13**, 3487 (2013)
- [4] A. La Torre, A.R. Botello-Mendez, W. Baaziz, J.-C. Charlier, and F. Banhart, submitted (2014)

Seeing the covalent bond: Simulating Atomic Force Microscopy Images

James R. Chelikowsky

Center for Computational Materials, Institute of Computational Engineering and Sciences, Departments of Physics and Chemical Engineering, University of Texas at Austin, Austin, Texas 78712 USA

Advances in atomic force microscopy (AFM) have made it possible to achieve unprecedented images of covalent bonds, in some cases even to resolve the bond order in polycyclic aromatics. However, fundamental questions remain about interpreting the images and modeling the AFM tip. For example, the bright spots in non-contact AFM images can have a close correspondence to the atomic structure of a given specimen, but there can be contrast changes with tip height that cannot be interpreted directly by atomic positions. While the nature of the tip can be crucial in understanding the details of the image, the atomic structure of the tip is often unknown. This situation is compounded by the difficulty in simulating AFM images. In order to perform computational studies of AFM, one must determine the interatomic forces as a function of the tip height on a fine grid above the specimen.

We propose new high performance algorithms to solve for the quantum forces between the tip and the specimen. This approach coupled with a simple theory that avoids an explicit model of the AFM tip, allows us to accurately replicate AFM images and resolve outstanding issues in their interpretation.

References: T.-L. Chan, C.Z. Wang, K.M. Ho, J.R. Chelikowsky: "Efficient first-principles simulation of noncontact atomic force microscopy for structural analysis," *Phys. Rev. Lett.* 102, 176101 (2009) and M. Kim and J.R. Chelikowsky: "Simulated non-contact atomic force microscopy for GaAs surfaces based on real-space pseudopotentials," *Appl. Surf. Sci.* 303,163 (2014).

"DAVID VANDERBILT@60, AND HIS INFLUENCE ON RECENT THEORIES OF
ELECTRON-PHONON INTERACTIONS AND SUPERCONDUCTIVITY"

Marvin L. Cohen

Department of Physics
University of California at Berkeley
and
Materials Sciences Division
Lawrence Berkeley National Laboratory
Berkeley, CA 94720

At this 2015 Electronic Structure/Computational Materials Physics Workshop here in Trieste, it is a great pleasure for me to contribute to the sessions in honor of the 60th birthdays of David Vanderbilt and Stefano Baroni. Roberto Car will discuss the career of Stefano Baroni, and I will describe some of David Vanderbilt's contributions to condensed matter physics. In particular, I will focus on David's creative use of Wannier functions which has had a big impact. I'll discuss how this new emphasis on Wannier functions led to important advances related to studies of electron-phonon interactions and superconductivity.

Searching for topological semi-metals in realistic materials

Xi Dai

Division of Theory, The Institute of Physics, Chinese Academy of Sciences, #8
South Third Street, 100190 Beijing, China

Topological semi-metal (TSM) is a new type of quantum phases in condensed matter, which includes Dirac semi-metal (DSM) and Weyl semi-metal (WSM) phases. The appearance of DSM phase requires additional crystal symmetry to generate Dirac points along some special directions. And the WSM phase requires breaking of either time reversal or inversion symmetry to remove the spin degeneracy. In the present talk, I will summarize the TSM materials found recently in our group by first principle methods. Besides the exotic physical properties of these TSMs, I will also introduce from the symmetry point of view where and how to find these materials.

The Density-Matrix Quantum Monte Carlo Method

W.M.C. Foulkes, N.S. Blunt, T.W. Rogers, F. Malone, J.S. Spencer

Department of Physics, Imperial College London

J.J. Shepherd

Rice University

The density-matrix quantum Monte Carlo (DMQMC) method [1] is a finite-temperature generalization of the full-configuration-interaction quantum Monte Carlo (FCIQMC) method recently introduced by Booth, Thom and Alavi [2]. Like FCIQMC, DMQMC overcomes the fermion sign problem in small enough systems. Unlike FCIQMC, which is primarily a ground-state method, DMQMC samples the density operator of a many-particle system at finite temperature. The availability of the density matrix allows arbitrary reduced density matrix elements and expectation values of complicated non-local observables to be evaluated. This talk explains the theory behind DMQMC, describes the algorithm, and introduces an importance-sampling procedure to improve the stochastic efficiency. To demonstrate the potential of DMQMC, the energy and staggered magnetization of the isotropic antiferromagnetic Heisenberg model on small lattices, the concurrence of one-dimensional spin rings, and the Renyi S_2 entanglement entropy of various sublattices of the 6×6 Heisenberg model are calculated. We also present preliminary results for warm dense electron gas systems.

[1] N.S. Blunt, T.W. Rogers, J.S. Spencer, and W.M.C. Foulkes, Phys. Rev. B **89**, 245124 (2014)

[2] G.H. Booth, A.J.W. Thom, and A. Alavi, J. Chem. Phys. **131**, 054106 (2009)

Engineering polar discontinuities in honeycomb lattices

Marco Gibertini

Theory and Simulation of Materials (THEOS) and National Center for Computational Design and Discovery of Novel Materials (MARVEL), École Polytechnique Fédérale de Lausanne, Switzerland

Unprecedented and fascinating phenomena have been recently observed at oxide interfaces between centrosymmetric cubic materials, where polar discontinuities can give rise to polarization charges and electric fields that drive a metal-insulator transition and the appearance of a two-dimensional electron gas. Lower dimensional analogues are possible, and honeycomb lattices offer a fertile playground thanks to their versatility and the extensive on-going experimental efforts in graphene and related materials. Here we suggest different realistic pathways to engineer polar discontinuities in honeycomb lattices, and support these suggestions with extensive first-principles calculations. Several approaches are discussed, based on (i) nanoribbons, where a polar discontinuity against the vacuum emerges, and (ii) functionalizations, where covalent ligands are used to engineer polar discontinuities by selective or total functionalization of the parent systems. All the cases considered have the potential to deliver innovative applications in ultra-thin and flexible solar-energy devices and in micro- and nano-electronics.

Quantum-size effects on vibrations and electron-phonon coupling in thin Pb(111) films

Rolf Heid

Institute for Solid State Physics, Karlsruhe Institute of Technology, Germany

Thin metal films are well known realizations of the geometrical confinement of electronic motion which manifests itself in the presence of quantum-well states and profoundly alters the electronic structure. Its influence on the electron-phonon coupling is, however, much less understood. In this context, Pb(111) films on semiconducting substrates have been studied extensively in recent years, because superconductivity was found to persist in ultrathin films, albeit with reduced transition temperature [1], and was observed even for a single monolayer [2]. This raised questions to what extent quantum-size effects modify the electron-phonon coupling directly, and what is the role of the substrate.

In this talk, I will present a comprehensive first principles investigation of electronic, vibrational, and electron-phonon coupling (EPC) properties of thin Pb(111) films in the framework of density functional perturbation theory. Similar to the findings for lead bulk [3], it was imperative to include spin-orbit interaction for a proper quantitative description of vibrational spectra and coupling strengths. Results for Fermi surface averaged couplings, relevant for superconductivity [4], as well as for EPC-induced self-energies of quantum well states for various film thicknesses are discussed in comparison with recent experiments. I will also address the influence of the substrate on these properties.

- [1] Y. Guo *et al.*, *Science* **306**, 1915 (2004)
- [2] T. Zhang *et al.*, *Nat. Phys.* **6**, 104 (2010)
- [3] R. Heid *et al.*, *Phys. Rev. B* **81**, 174527 (2010)
- [4] I.Yu. Sklyadneva *et al.*, *Phys. Rev. B* **87**, 085440 (2013)

From molecular magnetism towards molecular spintronics

Jens Kortus

TU Bergakademie Freiberg, Leipziger Str. 23, D-09599 Freiberg, Germany

In the first part of my talk I will discuss how calculations based on density functional theory (DFT) can guide qualitatively (or sometimes even quantitatively) in the design of molecules with improved magnetic anisotropy barrier [?].

In the second part I will focus on metal-phthalocyanines (MPc), which are promising molecular materials for spintronics. Electronic structure calculations can provide information required for interpretations of experimental data. In particular a recently investigated layered system of MnPc and F₁₆CoPc shows charge transfer at the interface between the MPc's. DFT calculations reveal that a hybrid state is formed between the two types of phthalocyanines, which causes this charge transfer. For the hybrid state the Mn $3d_{xz}$ interacts with the Co $3d_{z^2}$ orbital leading to a two-level system [?, ?, ?].

These results are of importance for the application of such interfaces in organic electronic devices since charge transfer considerably affects the energy level alignment and the transport behaviour of the respective hetero-junction. Since the transfer of charge is also connected to a transfer of spin and the hybrid system has a net spin of $S = 2$, such compounds could also be termed *spin-transfer materials* with future applications in the area of spintronics.

References

- [1] J. Cirera, E. Ruiz, S. Alvarez, F. Neese, J. Kortus, Chem.-Eur. J. **15**, 4078 (2009); E. Ruiz, J. Cirera, J. Cano, S. Alvarez, C. Loose, J. Kortus, Chem. Commun. **1**, 52 (2008)
- [2] S. Lindner, M. Knupfer, R. Friedrich, T. Hahn and J. Kortus, Phys. Rev. Lett. **109**, 027601 (2012)
- [3] R. Friedrich, S. Lindner, T. Hahn, C. Loose, S. Liebing, M. Knupfer, J. Kortus, Phys. Rev. B **87**, 115423 (2013)
- [4] R. Friedrich, B. Kersting, J. Kortus, Phys.Rev. B **88**, 155327 (2013)

Spectroscopic observables from DFT and TDDFT: limitations and hopes

Stephan Kümmel

Theoretical Physics IV, University of Bayreuth, Bayreuth, Germany

Present day density functionals serve many purposes, but most of them also suffer from systematic limitations. The insufficient accuracy in describing localization effects, the tremendous overestimation of long-range charge transfers, and the limited interpretability of the Kohn-Sham eigenvalues are prominent examples. This talk will show that many of these problems are inherently linked to one-electron self-interaction and can be significantly reduced with a self-interaction correction based on the Optimized Effective Potential [1]. It will further be discussed that range-separated hybrid functionals can achieve similar effects in a different way. Pros and cons of both type of approaches will be pointed out [2,3]. Final remarks will address the hopes that one may pin on new types of semi-local functionals which capture important features of exact exchange in their semi-local potential [4].

[1]

D. Hofmann, T. Körzdörfer, S. Kümmel,
"Kohn-Sham Self-Interaction Correction in Real Time",
Physical Review Letters 108, 146401 (2012).

[2]

A. Karolewski, L. Kronik, S. Kümmel,
"Using optimally tuned range separated hybrid functionals in ground-state calculations: Consequences and caveats",
J. Chem. Phys. 138, 204115 (2013)

[3]

Thiago B. de Queiroz, S. Kümmel,
"Charge-transfer excitations in low-gap systems under the influence of solvation and conformational disorder: Exploring rang-separation tuning",
Journal of Chemical Physics 141, 084303 (2014)

[4]

R. Armiento, S. Kümmel,
"Orbital Localization, Charge Transfer, and Band Gaps in Semilocal Density-Functional Theory",
Physical Review Letters 111, 036402 (2013)

First-principles dynamical mean-field perspective on electron correlation and magnetism in oxide heterostructures

Frank Lechermann

I. Insitute for Theoretical Physics, University of Hamburg, Germany

The investigation of oxide heterostructures provides the possibility for exploring novel composite materials beyond nature's original conception (see [1] for a recent review). Emerging electronic phases within the interface region between e.g. bulk compounds of band- and/or Mott-insulating character pose a formidable problem beyond the scope of either conventional density functional theory (DFT) or minimal model-Hamiltonian approaches. By means of the charge self-consistent combination of DFT with dynamical mean-field theory (DMFT) an advanced realistic many-body methodology is available that may tackle this challenge. In this talk the theoretical framework will be presented and the application to intricate heterostructure problems discussed.

I thereby mainly focus on two concrete problems. First, the δ -doping of distorted-perovskite Mott-insulating titanates with a single SrO layer along the [001] direction gives rise to a rich correlated electronic structure [2]. From a realistic superlattice study, layer- and temperature-dependent multi-orbital metal-insulator transitions are revealed. Furthermore, breaking the spin symmetry in δ -doped GdTiO₃ results in blocks of ferromagnetic itinerant and ferromagnetic Mott-insulating layers which are coupled antiferromagnetically. Second, DFT+DMFT insight [3] into the metallic state and the key mechanism for itinerant ferromagnetism at the band-band insulating LaAlO₃/SrTiO₃ interface will be provided.

[1] J. Chakhalian, J. W. Freeland, A. J. Millis, C. Panagopoulos and J. M. Rondinelli, RMP 86, 1189 (2014) [2] F. Lechermann and M. Obermeyer, arXiv:1411.1637 (2014) [3] F. Lechermann, L. Boehnke, D. Grieger and C. Piefke, PRB 90, 085125 (2014)

Spectroscopic properties beyond standard GW

Johannes Lischner

Department of Physics and Department of Materials, Imperial College London.

Spectral functions are measured in photoemission and tunneling experiments. The GW method is the state-of-the-art approach to calculate spectral functions that include many-electron interaction effects beyond density-functional theory. While GW theory has been very successful for the description of quasiparticle excitations in a wide range of physical systems including semiconductors and insulators, other systems and properties require going beyond the standard formalism.

For open-shell systems, such as magnetic molecules or magnetic defects in solids, I have developed a Green's function approach based on the GW approximation. In these systems, the poles of the self energy give rise to the characteristic multiplet structure observed in photoemission experiments. For the calculation of plasmon satellite features in spectral functions, GW plus cumulant theory cures the failure of GW theory which is known to significantly overestimate the separation of quasiparticle and satellite peaks. Finally, I present a first-principles approach to include the coupling of quasiparticles to spin fluctuations, which play an important role in metals, magnets and unconventional superconductors.

Edge states in graphene nanostructures on metal surfaces

Riccardo Mazzarello

Institute for Theoretical Solid State Physics and JARA, RWTH Aachen
University, Germany

Graphene is a fascinating two-dimensional system with unique electronic and transport properties. Nevertheless, the absence of an energy gap in its band structure limits its applicability in semiconductor technology. Fabrication of graphene nanostructures, such as nanoribbons and quantum dots, provides a route to induce the required band gap. Interestingly, zigzag-terminated nanostructures possess electronic states localized at the edge, which lead to non-trivial magnetic properties. In fact, in the case of graphene nanoribbons, mean field calculations predict a ferromagnetic spin polarization along the two edges and an antiferromagnetic coupling across the nanoribbon. These properties have been investigated intensively recently, due to potential applications in the field of spintronics. However, in principle, there exist various effects which can undermine the stability of edge magnetism, including quantum and thermal fluctuations, edge reconstruction and passivation, and, for supported nanostructures, the interaction with the substrate.

In this work, we have focused on substrate effects. For this purpose, we have carried out a density functional theory study of the electronic and magnetic properties of graphene nanoribbons on the (111) surface of several metallic substrates, namely Ir, Au, Ag and Cu. The selected substrates are commonly used to grow graphene nanostructures by chemical vapor deposition methods or bottom-up approaches. We have considered both H-free and H-passivated nanostructures. In the case of the Ir(111) surface, we do not find states localized at the nanoribbon edges. We explain this result by the interplay between a strong and intricate hybridization of the graphene π orbitals with Ir d states and a lattice-mismatch driven geometrical relaxation at the edges. Our simulations are in agreement with scanning tunneling spectroscopy experiments performed on graphene islands on Ir(111). In the case of Au, Ag and Cu substrates, the nanoribbons possess edge states. In spite of this, they do not exhibit a significant magnetization at the edge, with the exception of H-terminated nanoribbons on Au(111), whose zero-temperature, mean-field magnetic properties are comparable to those of free-standing nanoribbons. These findings are explained in terms of the different chemical interaction and charge transfer between the nanoribbons and the three substrates.

Topological physics of transition-metal oxide (111)-bilayers

Satoshi Okamoto

Materials Science and Technology Division, Oak Ridge National Laboratory

Transition metal oxides (TMOs) have long been one of the main subjects of material science because of their novel functionalities such as high- T_c superconductivity in cuprates and the colossal magnetoresistance effect in manganites. A new era for the study of novel oxides was opened by the recent developments in thin film growth techniques with the atomic precision. A variety of heterostructures involving TMOs have been fabricated and characterized, leading to, for example, the discovery of two-dimensional electron gases, magnetism, and superconductivity at interfaces between two dissimilar insulators. Further novel phenomena could emerge in such TMO heterostructures. In this talk, I will present our theoretical work designing band topology using oxide heterostructures. Specifically, I consider bilayers of TMOs grown along the [111] crystallographic axis. A variety of novel phenomena are predicted, including quantum spin Hall effects [1] and anomalous Hall effects [2]. The effects of many-body interactions are discussed by means of a slave-boson mean-field method [3] and the dynamical-mean-field theory [4].

- [1] D. Xiao, W. Zhu, Y. Ran, N. Nagaosa, and S. Okamoto, *Nat. Commun.* **2**, 596 (2011).
- [2] K.-Y. Yang, W. Zhu, D. Xiao, S. Okamoto, Z. Wang, and Y. Ran, *Phys. Rev. B* **84**, 201104(R) (2011).
- [3] S. Okamoto *Phys. Rev. Lett.* **110**, 066403 (2013).
- [4] S. Okamoto, W. Zhu, Y. Nomura, R. Arita, D. Xiao, and N. Nagaosa, *Phys. Rev. B* **89**, 195121 (2014).

Many-body models for molecular nanomagnets

Eva Pavarini

Institute for Advanced Simulation and JARA High-Performance Computing

I will present a novel [1] flexible and effective scheme to build *ab-initio* many-body models –and the corresponding low-energy magnetic Hamiltonians– for molecular nanomagnets. It is based on using localized Foster-Boys orbitals as a one-electron basis. I will illustrate applications of this scheme to some paradigmatic systems: the antiferromagnetic rings Cr₈ and Cr₇ Ni, the single-molecule magnet Fe₄, and two Cr₇Ni-Ni-Cr₇Ni assemblies [1,2].

[1] A. Chiesa, S. Carretta, P. Santini, G. Amoretti, and E. Pavarini, *Phys. Rev. Lett.* **110**, 157204 (2013).

[2] A. Chiesa, G. Whitehead, S. Carretta, L. Carthy, G. Timco, S. Teat, G. Amoretti, E. Pavarini, R. Winpenny, and P. Santini, *Scientific Reports*, in press (2014).

Electronic Structure of Molecular Magnets: Successes within GGA and Challenges for SIC

Mark R. Pederson

Department of Chemistry, Johns Hopkins University, Baltimore MD, 21218

The experimental observation of resonant tunneling of magnetization in molecular magnets has led to significant theoretical interest in the first-principles electronic-structure based understanding of the magnetic- and spin-dependent- processes in these systems. For cases where the electronic structure is described qualitatively correctly, the PBE-GGA has been rather successful in accurately predicting many-of the molecular magnets composed of 3d-transition metal ions. Predictive successes include quantitative determination of magnetic reorientation barriers and the qualitatively correct description of the spin-excitation spectrum. This talk will highlight some of these successes[1,2] but focus on identifying challenging molecular-magnetic systems where the use of self-interaction corrected versions of density-functional theory is expected to lead to better predictive capabilities. For example for the Cu_3 and V_{15} molecular magnets, both of which simplify to a frustrated equilateral triangle of three spin $\frac{1}{2}$ transition-metal cations, the PBE-GGA provides the correct low-energy spin states but overestimates the splittings between the low-lying Kramer doublets and the upper quartet due to the slightly delocalized d-electrons on the transition-metal sites[1]. Rationale for why electronic-structure calculations with self-interaction-corrected functionals, could improve spin-excitations will be discussed. In regard to understanding spin-dependent electron transfer across molecular magnets, it is necessary to accurately calculate the charge states of a molecular magnet that is tethered to a distant electrode by a polymer. Through applications of DFT involving to Mn_{12} and Fe_4 molecular magnets as possible circuit elements and gold- and spin-polarized graphene flakes as possible substrates, the relation of the level alignment problem to the self-interaction correction will be highlighted. A new unitarily-invariant method for efficiently and exactly accounting for the self-interaction corrections for all electrons, with applications to simple transition-metal systems will be briefly introduced and discussed[3]. [1]MR Pederson and SN Khanna, Phys. Rev. B **60**, 9566 (1999), [2]J. F Nossa, MF Islam, CM Canali and MR Pederson, PRB **85** 085427 (2012). [3]M. R. Pederson, A. Ruzsinszky, and J. P. Perdew, J. Chem. Phys. **140**, 121103 (2014).

Confinement-induced electronic reconstruction in (001) and (111) oriented perovskite superlattices

Rossitza Pentcheva

Department of Physics, University of Duisburg-Essen,
Lotharstr. 1. 47057 Duisburg, Germany
email: Rossitza.Pentcheva@uni-due.de

Oxide interfaces exhibit a broad spectrum of functional properties that are not available in the respective bulk compounds, such as two-dimensional conductivity, superconductivity and magnetism. In this talk I will compare the mechanisms of electronic and orbital reconstruction in oxide quantum wells with (001) and (111) crystallographic orientation. The latter promise to host even more exotic electronic states compared to the much studied (001)-oriented systems due to their distinct topology [1]. Material-specific density functional theory calculations with an on-site Coulomb repulsion term are used to explore the role of confinement, symmetry breaking, polarity mismatch and strain in the emergence of novel electronic phases. The results illuminate a rich set of competing ground states in polar $(\text{LaAlO}_3)_M/(\text{SrTiO}_3)_N(111)$ [2] and non-polar $(\text{LaNiO}_3)_M/(\text{LaAlO}_3)_N(111)$ [3,4] superlattices, ranging from spin-polarized, Dirac-point Fermi surfaces protected by lattice symmetry to charge-ordered Mott or Peierls insulating phases. Analogous to the (001) counterparts [5,6], orbital reconstructions and metal-to-insulator transitions depend critically on the thickness of the quantum well and in-plane strain, thus opening avenues for engineering properties at the nanoscale. Research in collaboration with D. Doennig, A. Blanca-Romero and W.E. Pickett; supported by the DFG, SFB/TR80.

[1] D. Xiao *et al.*, Nat. Commun. **2**, 596 (2011).

[2] D. Doennig, W. E. Pickett, and R. Pentcheva, Phys. Rev. Lett. **111**, 126804 (2013).

[3] D. Doennig, W. E. Pickett, and R. Pentcheva, Phys. Rev. B **89**, 121110(R) (2014).

[4] S. Middey *et al.*, arXiv 1407.1570.

[5] D. Doennig and R. Pentcheva, Sci. Rep., submitted.

[6] A. Blanca Romero and R. Pentcheva, Phys. Rev. B **84**, 195450 (2011).

Reduced Density-Matrix Functional Theory: correlation and spectroscopy

Pina Romaniello

Laboratoire de Physique Théorique, CNRS, IRSAMC, Université Toulouse III - Paul Sabatier, 118 Route de Narbonne, 31062 Toulouse Cedex, France

In this work we explore the performance of approximations to electron correlation in reduced density-matrix functional theory (RDMFT) [1] and of approximations to the observables calculated within this theory. Our analysis focuses on the calculation of total energies, occupation numbers, removal/addition energies, and spectral functions. We use the exactly solvable Hubbard molecule at 1/4 and 1/2 filling as test systems. This allows us to analyze the underlying physics and to elucidate the origin of the observed trends. For comparison we also report the results of the *GW* approximation, where the self-energy functional is approximated, but no further hypothesis are made concerning the approximations of the observables. In particular we focus on the atomic limit, where the two sites of the molecule are pulled apart and electrons localize on either site with equal probability, unless a small perturbation is present: this is the regime of strong electron correlation. In this limit, using the Hubbard molecule at 1/2 filling with or without a spin-symmetry-broken ground state, allows us to explore how degeneracies and spin-symmetry breaking are treated in RDMFT. We find that, within the used approximations, neither in RDMFT nor in *GW* the signature of strong correlation are present in the spin-singlet ground state, whereas both give the exact result for the spin-symmetry broken case. Moreover we show how the spectroscopic properties change from one spin structure to the other. Our findings can be generalized to other situations, which allows us to make connections to real materials and experiment. [2]

[1] T. L. Gilbert, Phys. Rev. B 12, 2111 (1975)

[2] S. Di Sabatino, J.A. Berger, L. Reining, and P. Romaniello, arXiv:1409.1008

Electric field at the microscopic level: from water dissociation to Miller-like experiments

A. Marco Saitta

Deputy Dean of the Physics Faculty of UPMC
Institut de Minéralogie, de Physique de Matériaux et de Cosmochimie (IMPMC)
Université Pierre et Marie Curie (UPMC) - Sorbonne
Paris, France

In the last decade, thanks to Berry-phase theory and its implementation in DFT schemes, it is possible to study the effect of finite homogenous electric fields in ab initio molecular dynamics simulations [1]. Here we present a study of bulk liquid water under intense electric fields [2]. We observe that the hydrogen-bond length and the molecular orientation are significantly modified at low-to-moderate field intensities. Fields beyond a threshold of about 0.35 V/\AA are able to dissociate molecules and sustain an ionic current via a series of correlated proton jumps, in good agreement with experimental values [3]. Upon applying even more intense fields ($\sim 1.0 \text{ V/\AA}$), a 15%-20% fraction of molecules are instantaneously dissociated and the resulting ionic flow yields a conductance of about $7.8 \Omega^{-1} \text{ cm}^{-1}$. We then undertake the first ab initio computer simulations of the celebrated Miller experiment, that we perform in the condensed phase [4] Our study shows that glycine spontaneously forms from mixtures of simple molecules once an electric field is switched on. Moreover, combining the electric field approach with a metadynamics-based analysis of chemical reactions[5], we identify formic acid and formamide as key intermediate products of the early steps of the Miller reactions, and the crucible of formation of complex biological molecules.

[1] P. Umari & A. Pasquarello, Phys. Rev. Lett. **89**, 157602 (2002)

[2] A. M. Saitta, F. Saija, P. V. Giaquinta, Phys. Rev. Lett. **108**, 207801 (2012).

[3] E. M. Stuve, Chem. Phys. Lett. **519-520**, 1 (2012); Z. Hammadi et al. Appl. Phys. Lett. **101**, 243110 (2012); W. K. Lee et al., Nano Res. **6**, 767 (2013).

[4] A. M. Saitta & F. Saija, Proc. Nat. Acad. Sci. USA **111**, 13768 (2014); http://www.imPMC.upmc.fr/~saitta/press_Miller.html

[5] A. M. Saitta, F. Saija, F. Pietrucci, F. Guyot, Proc. Nat. Acad. Sci. USA *in press*.

Monolayer of 1TMoS₂: The Thinnest Ferroelectric?

Sharmila N. Shirodkar

Theoretical Sciences Unit,
Jawaharlal Nehru Centre for Advanced Scientific Research, Bangalore, India.

Ferroelectric crystals exhibit an electric dipole moment (spontaneous polarization) even in the absence of an external electric field. When heated, ferroelectric materials transform at the ferroelectric transition temperature to the centrosymmetric and non-polar paraelectric phase. The macroscopic electric polarization in ferroelectrics can be switched by the application of external electric fields. Hence, their films are used in various devices such as sensors, actuators and memories. As ferroelectric ordering of dipoles oriented perpendicular to the surface of an ultrathin film is suppressed by their depolarization field, ferroelectricity has been shown to disappear below film thicknesses of 24 Å in BaTiO₃, 8 Å in PbTiO₃ and 10 Å in polymer films. However, truly 2-dimensional materials such as graphene, hexagonal boron nitride and MoS₂ have not been explored for its existence. Here, we predict the emergence of unexpected, yet robust ferroelectricity (with polarization perpendicular to the plane) in the 1T polytype of MoS₂ as it undergoes a transition from metallic to insulating state by using a combination of first-principles and Landau theoretical analysis. We show that it originates from the geometry of electronic Fermi surface through a strong coupling of d-orbitals of Mo with valley phonons that induce an effective electric field. Our prediction of a 2-dimensional ferroelectric semiconductor opens up a new class of nanoscale dipotronic devices based on MoS₂, and we propose XNOR, NAND and OR logic gates within a single transistor structure [1].

References

- [1] Sharmila N. Shirodkar and Umesh V. Waghmare, PRL **112**, 157601 (2014).

Ab initio description of exciton dispersion

Francesco Sottile

Laboratoire des Solides Irradiés, CNRS UMR 7642, CEA-DSM-IRAMIS, Ecole polytechnique, Université Paris-Saclay, 91128 PALAISEAU cedex, France
European theoretical Spectroscopy Facility

We present ab initio calculation of plasmon and exciton dispersion of wide-gap insulators, like LiF or hBN, as well as molecular solids. With the help of the Bethe-Salpeter Equation (recently extended [1,2] to describe full coupling momentum excitonic effects) we calculate the momentum dispersion of the first low-lying excitons, both visible and dark. Their particular behaviour is analysed (with respect to momentum intensity and direction, coupling effect, real space distribution and interference effects) and the results are compared with recent inelastic X-ray scattering [3] and with electron energy loss spectroscopy [4,5].

- [1] M. Gatti and F. Sottile, *Phys. Rev. B* **88**, 155113 (2013)
- [2] F. Sottile et al. The EXC code (GPL) <http://www.bethe-salpeter.org/>
- [3] P. Abbamonte et al., *PNAS* **105**, 12519 (2008)
- [4] F. Roth et al, *J. Chem. Phys.* **136**, 204708 (2012)
- [5] P. Cudazzo, M. Gatti, A. Rubio, and F. Sottile *Phys. Rev. B* **88**, 195152 (2013)

Development and Applications of Potential-Based Density-Functional Theory

Viktor N. Staroverov

Department of Chemistry, The University of Western Ontario,
London, Ontario N6A 5B7, Canada

I will survey recent advances in the theory of Kohn–Sham effective potentials and show how, by thinking in terms of these quantities, one can obtain new physical insights and better density-functional approximations for computing molecular properties. Topics include: development of energy functionals from Kohn–Sham potentials, accurate prediction of excitation energies, and a new tool for studying chemical reactivity called the average local electron energy.

References

1. I. G. Ryabinkin and V. N. Staroverov, “Average local ionization energy generalized to correlated wavefunctions”, *J. Chem. Phys.* **141**, 084107 (2014).
2. I. G. Ryabinkin, A. A. Kananenka, and V. N. Staroverov, “Accurate and efficient approximation to the optimized effective potential for exchange”, *Phys. Rev. Lett.* **111**, 013001 (2013).
3. A. P. Gaiduk, D. Mizzi, and V. N. Staroverov, “Self-interaction correction scheme for approximate Kohn–Sham potentials”, *Phys. Rev. A* **86**, 052518 (2012).
4. A. P. Gaiduk, D. S. Firaha, and V. N. Staroverov, “Improved electronic excitation energies from shape-corrected semilocal Kohn–Sham potentials”, *Phys. Rev. Lett.* **108**, 253005 (2012).
5. P. D. Elkind and V. N. Staroverov, “Energy expressions for Kohn–Sham potentials and their relation to the Slater–Janak theorem”, *J. Chem. Phys.* **136**, 124115 (2012).
6. A. P. Gaiduk and V. N. Staroverov, “A generalized gradient approximation for exchange derived from the model potential of van Leeuwen and Baerends”, *J. Chem. Phys.* **136**, 064116 (2012).
7. A. P. Gaiduk and V. N. Staroverov, “Construction of integrable model Kohn–Sham potentials by analysis of the structure of functional derivatives”, *Phys. Rev. A* **83**, 012509 (2011).
8. A. P. Gaiduk and V. N. Staroverov, “Explicit construction of functional derivatives in potential-driven density-functional theory”, *J. Chem. Phys.* **133**, 101104 (2010).

Optical spectra of MoS₂: dependence on substrate and electron-phonon coupling

Ludger Wirtz

Physics and Materials Science Research Unit, University of Luxembourg,
L-1511 Luxembourg

Layered transition-metal dichalcogenides, in particular the semiconducting MoS₂, are attracting currently a lot of attention due to their possible use in thin-film electronics. Also from the fundamental point of view, these materials are very interesting due to their complex band-structure, strong effects of spin-orbit splitting and the possibility of valley polarization by circularly polarized light. We summarize the debate on the quasi-particle band-structure of single and few-layer MoS₂ (self-consistent versus non-self consistent GW). We discuss the influence of slight changes in the geometry of the single-layer as well as of the underlying substrate. Optical absorption spectra are calculated on the level of the Bethe-Salpeter equation including the effect of spin-orbit coupling. Taking into account the effect of electron-phonon coupling, we calculate the temperature dependence of the band gap and the absorption spectra. We discuss the origin of the experimentally observed doubling of the high-energy exciton at 2.6 eV on a gold substrate as the potential effect of a “mirror exciton” (exciton formed from image states).

Following collaborations are gratefully acknowledged: For the theory: Alejandro Molina-Sánchez (Luxembourg), Maurizia Palummo, Davide Sangalli, Andrea Marini (Rome), and Kerstin Hummer (Vienna). For the experimental work on the mirror excitons: Jan Mertens, Jeremy J. Baumberg (Cambridge), Yumeng Shi, Hui Ying Yang (Singapore).

**TITLES OF
ABSTRACTS
OF
POSTERS**

POSTER SESSION I

THURSDAY, 15 JANUARY 2015

The full abstract can be found on the Workshop's website:

<http://indico.ictp.it/event/a14243>

POSTER SESSION I

THURSDAY, 15 JANUARY 2015

In alphabetical order of presenting author (underlined)

Study of Electronic Properties of BC₂N Nanotubes

Mojdeh Akhavan

Computational Physical Sciences Research Laboratory, School of Nano-Science, Institute for Research in Fundamental Sciences (IPM), P.O. Box 19395-5531, Tehran, Iran

Screened Coulomb interaction calculations: cRPA implementation and applications to dynamical screening and self-consistency in uranium dioxide and cerium

Bernard Amadon¹, Thomas Applencourt¹ and Fabien Bruneval²

1. CEA, DAM, DIF, F-91297 Arpajon, France

2. CEA, DEN, Service de Recherches de Métallurgie Physique, F-91191 Gif-sur-Yvette, France

Ab initio study of the Ni-Graphene interface: the role of screened van der Waals interactions

Alberto Ambrosetti

1. Università degli Studi di Padova, Department of Physics, Via Marzolo 8, Padova, Italy

Electrostatics of solvated systems in periodic boundary conditions

Oliviero Andreussi^{1,2}, Nicola Marzari¹

1. Theory and Simulations of Materials (THEOS) and National Center for Computational Design and Discovery of Novel Materials (MARVEL), École Polytechnique Fédérale de Lausanne, Station 12, 1015 Lausanne, Switzerland

2. Department of Chemistry, University of Pisa, Via Moruzzi 3, 56124 Pisa, Italy

The potential of zeolites clinoptilolite for arsenic immobilisation - a computational study

J.B. Awuah¹, B. Kwakye-Awuah¹, R. Tia², E. Adei², C.R. A Catlow³, N.H. de Leeuw³

1. Department of Physics, Kwame Nkrumah University of Science and Technology, Kumasi - Ghana

2. Department of Chemistry, Kwame Nkrumah University of Science and Technology, Kumasi - Ghana

3. Department of Chemistry, University College London, London - UK

Structural and electronic properties of Polyacetylene chains through Variational Monte Carlo

Matteo Barborini^{1,2,3}, Leonardo Guidoni¹

1. Dip. di Scienze Fisiche e Chimiche, Università degli Studi dell'Aquila, Via Vetoio (Coppito), 67100, L'Aquila
2. Dip di Ingegneria e Scienze dell'Informazione e Matematica, Università degli Studi dell'Aquila, Via Vetoio (Coppito), 67100, L'Aquila
3. Present Address: Centro S3, CNR - Istituto di Nanoscienze, Via Campi 213/a, 41125 Modena, Italy

Solvation effects on the color optical properties of anthocyanin natural dyes

Xiachuan Ge,^{1,2} Iurii Timrov,¹ Arrigo Calzolari,^{3,1} and Stefano Baroni¹

1. SISSA – Scuola Internazionale Superiore di Studi Avanzati, I-34136 Trieste IT
2. Brookhaven National Laboratory, Upton, NY
3. CNR-NANO Istituto Nanoscienze, Centro S3, Modena IT

Solution of the many-body problem in one point

J.A. Berger^{1,7}, P. Romaniello^{2,7}, F. Tandetzky^{3,7}, B.S. Mendoza⁴, Ch. Brouder⁵, L. Reining^{6,7}

1. Laboratoire de Chimie et Physique Quantiques, IRSAMC, Université Toulouse III - Paul Sabatier, CNRS, 118 Route de Narbonne, 31062 Toulouse Cedex, France
2. Laboratoire de Physique Théorique, CNRS, IRSAMC, Université Toulouse III - Paul Sabatier, 118 Route de Narbonne, 31062 Toulouse Cedex, France
3. Max Planck Institute of Microstructure Physics, Weinberg 2, 06120 Halle, Germany
4. Centro de Investigaciones en Óptica, León, Guanajuato, Mexico
5. Institut de Minéralogie, de Physique des Matériaux et de Cosmochimie, Sorbonne Universités - UPMC, Université Paris 6, UMR CNRS 7590, Muséum National d'Histoire Naturelle, IRD UMR 206,4 place Jussieu, F-75005 Paris, France
6. Laboratoire des Solides Irradiés, École Polytechnique, CNRS, CEA-DSM, 91128 Palaiseau, France
7. European Theoretical Spectroscopy Facility (ETSF)

First-principles study of structure, vibrational and elastic properties of stoichiometric and calcium-deficient hydroxyapatite

Soumya S. Bhat¹, Umesh V. Waghmare² and Upadrasta Ramamurty¹

1. Department of Materials Engineering, Indian Institute of Science, Bangalore 560012, India
2. Theoretical Science Unit, Jawaharlal Nehru Centre for Advanced Scientific Research, Jakkur, Bangalore 560064, India

Defect states of Mn, Fe, and V:Ga in GaN: comparing GGA+U with experiment

T. Zakrzewski¹, O. Volnianska¹, P. Bogusławski^{1,2}

1. Institute of Physics PAS, Warsaw, Poland
2. Institute of Physics, Kazimierz Wielki University, 85-072 Bydgoszcz, Poland

Koopmans' compliant functionals: benchmarks on the G2 set, photoemission spectra, and orbital reconstruction

Giovanni Borghi¹, Ngoc Linh Nguyen¹, Andrea Ferretti², Ismaila Dabo³, Nicola Marzari¹

1. Theory and Simulations of Materials (THEOS), and National Center for Computational Design and Discovery of Novel Materials (MARVEL), École Polytechnique Fédérale de Lausanne, 1015 Lausanne, Switzerland
2. Centro S3, CNR--Istituto Nanoscienze, I-41125 Modena, Italy
3. Department of Materials Science and Engineering, Materials Research Institute, and Penn State, Institutes of Energy and the Environment, The Pennsylvania State University, University Park, PA 16802, USA

Ab-initio study of dynamical stability and anharmonic effects in high pressure metallic atomic hydrogen

Miguel Borinaga^{1,2}, Ion Errea^{2,3}, Aitor Bergara^{1,2,4}

1. Centro de Física de Materiales CFM(CSIC-UPV/EHU), Paseo Manuel de Lardizabal 5, 20018 Donostia-San Sebastián, Spain
2. Donostia International Physics Center (DIPC), Paseo Manuel de Lardizabal 4, 20018 Donostia-San Sebastián, Spain
3. IKERBASQUE Basque Foundation for Science, Bilbao, Spain
4. Departamento de Física de la Materia Condensada, Universidad del País Vasco (UPV/EHU), Apartado 644, 48080 Bilbao, Spain

Sovated low bandgap oligomers: Challenges and advances in Density Functional Theory

Thiago Branquinho de Queiroz* and Stephan Kümmel

Universität Bayreuth, Theoretische Physik IV, Universitätsstr. 30, 95440 Bayreuth, Germany

Light-induced field enhancement in polyacenes

Luca Bursi^{1,2}, Arrigo Calzolari^{2,3}, Stefano Corni², Elisa Molinari^{1,2}

1. Dipartimento di Fisica, Informatica e Matematica, Università di Modena e Reggio Emilia, I-41125 Modena, Italy
2. Istituto Nanoscienze CNR-NANO-S3, I-41125 Modena, Italy
3. Department of Physics, University of North Texas, Denton, TX 76203

Transparent Conductive Oxides as Near-IR Plasmonic Materials for Energy Conversion

Arrigo Calzolari¹, Alice Ruini^{1,2}, and Alessandra Catellani¹

1. CNR-NANO Istituto Nanoscienze, Centro S3, Modena IT
2. Dipartimento di Fisica, Università di Modena e Reggio Emilia, Modena, IT

Atomistic simulations of thermal transport and thermal boundary resistance in phase change materials for non-volatile memories

D. Campi¹, E. Baldi¹, G. Graceffa¹, D. Donadio², G. C. Sosso³, L. Paulatto⁴, F. Mauri⁴, M. Bernasconi¹

1. Dipartimento di Scienza dei Materiali, Università di Milano-Bicocca, Via R. Cozzi 53, I-20125, Milano, Italy
2. Max Planck Institute for Polymer Research, Ackermannweg 10, D-55128 Mainz, Germany
3. Computational Science, Department of Chemistry and Applied Biosciences, ETH Zurich, USI Campus, Via Giuseppe Buffi 13, 6900 Lugano, Switzerland
4. Université Pierre et Marie Curie, Institut de Mineralogie et Physique des Milieux Condensés, 140 rue de Lourmel, Paris, France

Surface-assisted formation of graphene nanoribbons on Au surfaces

Claudia Cardoso¹, Deborah Prezzi¹, Elisa Molinari^{1,2}, Andrea Ferretti¹

1. Centro S3, CNR-Istituto Nanoscienze, 41125 Modena, Italy
2. Dipartimento di Scienze Fisiche, Informatiche, Matematiche, Università di Modena e Reggio Emilia, 41125 Modena, Italy

Electron energy loss anisotropies in MAX phases: Ti₂AlC

Cazzaniga Marco¹⁻², Giovanni Onida¹⁻², Hans-Christian Weissker²⁻³

1. Università degli Studi di Milano, Physics department, Milan, Italy
2. European Theoretical Spectroscopy Facility (ETSF)
3. Aix Marseille University, CNRS, CINaM UMR 7325, Marseille, France

Phonon Hydrodynamics in Two-Dimensional Materials

Andrea Cepellotti¹, Giorgia Fugallo², Lorenzo Paulatto², Michele Lazzeri², Francesco Mauri², and Nicola Marzari¹

1. Theory and Simulation of Materials, École Polytechnique Fédérale, Lausanne, Switzerland
2. IMPMC, UMR CNRS 7590, Sorbonne Universités – UPMC Univ. Paris 06, MNHN, IRD, 4 Place Jussieu, F-75005 Paris, France

Density Functional Theory study of highly excited ultra-cold atoms in a periodic lattice

Martin Kiffner^{1,2}, Davide Ceresoli³, Wenhui Li^{1,4} and Dieter Jaksch^{1,2}

1. Center for Quantum Technologies, National University of Singapore, Singapore
2. Clarendon Laboratory, University of Oxford, Oxford UK
3. Istituto di Scienze e Tecnologie Molecolari (ISTM-CNR), Milan, Italy
4. Department of Physics, National University of Singapore, Singapore

Designing FePt-Fe₃Pt hard-soft magnetic composite materials from ab initio calculations

Bheema Lingam Chittari¹ and Vijay Kumar^{1,2}

- 1 Dr. Vijay Kumar Foundation, 1969 Sector 4, Gurgaon 122001, Haryana, India
- 2 Center for Informatics, School of Natural Sciences, Shiv Nadar University, Chithera, Gautam Budh Nagar - 203207, UP, India

Searching for high magnetization density in bulk Fe: the new metastable Fe₆ phase

Koichiro Umemoto¹, Burak Himmetoglu², Jian-Ping Wang³, Renata M. Wentzcovitch⁴, and Matteo Cococcioni⁵

1. Earth-Life Science Institute, Tokyo Institute of Technology, Tokyo, Japan
2. Materials Department, University of California, Santa Barbara, CA, USA
3. Department of Electrical and Computer Engineering, University of Minnesota, Minneapolis, MN, USA
4. Department of Chemical Engineering and Materials Science, University of Minnesota, Minneapolis, MN, USA
5. Institute of Materials, École polytechnique fédérale de Lausanne, Lausanne, Switzerland

Imaging electron correlation in molecules by scanning tunneling microscopy: an ab-initio prediction

Dimitrios Toroz¹, Massimo Rontani¹, Stefano Corni¹

1. Centro S3, CNR Istituto Nanoscienze, Modena, Italy

DFT study of the reactivity of CO₂ in molten alkali carbonates

Dario Corradini¹, Rodolphe Vuilleumier¹, François-Xavier Coudert²

1. Laboratoire PASTEUR, UMR 8640 ENS-CNRS-UPMC Paris 6. Département de Chimie, École Normale Supérieure, 75005 Paris, France
2. PSL Research University, Chimie ParisTech – CNRS, Institut de Recherche de Chimie Paris, 75005 Paris, France

Clean Ir(111) and Pt(111) electronic surface states: a first-principle fully relativistic investigation

Andrea Dal Corso^{1,2}

1. International School for Advanced Studies, SISSA, Trieste, Italy
2. DEMOCRITOS IOM-CNR, Trieste, Italy

First-principles study of Radical Organic Electrodes

Nicolas Dardenne¹, David Waroquiers¹, Matteo Giantomassi¹, Geoffroy Hautier¹, Jean-Christophe Charlier¹, Gian-Marco Rignanese¹

1. Institute of Condensed Matter and Nanosciences, Nanoscopic Physics, Université catholique de Louvain, Chemin des étoiles 8, 1348 Louvain-la-Neuve, Belgium

On the interpretability of molecular orbitals from organic semiconductors

Matthias Dauth and Stephan K^ümmel

Theoretical Physics IV, University of Bayreuth, 95440 Bayreuth, Germany

Vacancies in Group-IV Nanosheets: A Comparative Tight-Binding and DFT Study

M. Verissimo-Alves and A. S. Martins

Universidade Federal Fluminense - Instituto de Ciências Exatas (ICEx)

Transport Properties of Iron-Porphyrin / Graphene Junction

E. del Castillo^{1,2}, S. Achilli^{1,2}, F. Cargnoni^{1,2}, S. Casolo¹, M.I. Trioni^{1,2}

1. Chemistry Department, University of Milan, via Golgi 19, 20133 Milano, Italy

2. CNR, National Research Council of Italy, ISTM, via Golgi 19, 20133 Milano, Italy

Thermoelastic properties of α -iron: model potentials and first-principles calculations

Daniele Dragoni¹, Davide Ceresoli² and Nicola Marzari¹

1. Theory and Simulations of Materials (THEOS), École Polytechnique Fédérale de Lausanne, 1015 Lausanne, Switzerland

2. CNR Istituto di Scienze e Tecnologie Molecolari (CNR-ISTM), 20133 Milano, Italy

Efficient ab initio calculation of anharmonic properties in solids: the stochastic self-consistent harmonic approximation

Ion Errea^{1,2}, Matteo Calandra³, Francesco Mauri³

1. Donostia International Physics Center (DIPC), San Sebastian, Spain

2. IKERBASQUE, Basque Foundation for Science, Bilbao, Spain

3. Université Pierre et Marie Curie, CNRS, IMPMC, Paris, France

Thermodynamic integration to monitor parameter convergence in molecular dynamics: application to liquid water

Michelle Fritz¹, M. V. Fernandez-Serra², Jose M. Soler¹ and Joost VandeVondele³

1. Departamento de Física de la materia Condensada, Universidad Autónoma de Madrid, Ciudad Universitaria de Cantoblanco, 28049, Madrid, Spain.

2. Physics and Astronomy Department, Stony Brook University, Stony Brook 11794, NY, USA

3. ETH Zürich Wolfgang-Pauli-Strasse 27 8093 Zürich Switzerland

Thermoelectric properties of n-doped Silicon from first-principles

Mattia Fiorentini and Nicola Bonini

Physics Department, King's College London, Strand, London WC2R 2LS, UK

A generalized Poisson solver for complex electrostatic environments

Giuseppe Fisicaro¹ and Stefan Goedecker¹

1. Department of Physics, University of Basel, Klingelbergstr, 82, 4056 Basel, Switzerland

Resonant Lifetime of Core-Excited Organic Adsorbates from First Principles

G. Fratesi^{1,2}, C. Motta², M. I. Trioni³, G. P. Brivio², and D. Sánchez-Portal⁴

1. ETSF and Dipartimento di Fisica, Università degli Studi di Milano, Milano, Italy

2. CNISM and Dipartimento di Scienza dei Materiali, Università di Milano-Bicocca, Milano, Italy

3. CNR - National Research Council of Italy, ISTM, Milano, Italy

4. Centro de Física de Materiales CSIC-UPV/EHU, Donostia-San Sebastián, Spain

A general method for functional optimization

Michelle Fritz¹, Marivi Fenandez-Serra², Jose M. Soler¹

1. Departamento de Física de la Materia Condensada, Universidad Autónoma de Madrid, E-28049 Madrid, Spain

2. Department of Physics and Astronomy, Stony Brook University, Stony Brook, NY 11794-3800, USA

Dielectric Response Function of Local Orbitals: Theory and Applications

Xiaochuan Ge; Deyu Lu

Center for Functional Nanomaterials, Brookhaven National Laboratory, 735, Upton, 11973, NY

Subsystem Density Functional Theory for Periodic Systems

Alessandro Genova¹, Davide Ceresoli², Michele Pavanello¹

1. Department of Chemistry, Rutgers University, Newark, New Jersey 07102, USA

2. Istituto di Scienze e Tecnologie Molecolari, CNR, Milan, Italy

Effects of anion doping on oxide-metal interface: a DFT study of MgO/Mo

Sukanya Ghosh, Nisha Mammen, Shobhana Narasimhan

Jawaharlal Nehru Centre for Advanced Scientific Research, Bangalore, India, 560064

Unravelling the origin of the E' α and Ge(2) centers

L. Giacomazzi¹, L. Martin-Samos^{1,2}, A. Boukenter³, Y. Ouerdane³, S. Girard³, and N. Richard⁴

1. CNR-IOM Democritos, c/o SISSA via Bonomea 265, Trieste (Italy)

2. MRL, University of Nova Gorica, Vipavska 11c 5270-Ajdovščina (Slovenija)

3. Laboratoire Hubert Curien, UMR-CNRS 5516, F42000 Saint-Etienne (France)

4. CEA, DAM, DIF, F-91297 Arpajon (France)

Local Reduced Density Matrix Functional Theory

Nektarios N. Lathiotakis¹, Nicole Helbig², Angel Rubio³, and Nikitas I. Gidopoulos⁴

1. Theoretical and Physical Chemistry Institute, NHRF, Vass. Constantinou 48, GR-11635 Athens, Greece

2. Peter-Grünberg Institut and Institute for Advanced Simulation, Forschungszentrum Jülich, D-52425 Jülich, Germany

3. Max Planck Institute MPSD, Hamburg, Germany and UPV/EHU, San Sebastián, Spain

4. Department of Physics, Durham University, South Road, Durham DH1 3LE, U.K.

Magnetic Anisotropy Energy in Narrow Silicene Nanoribbons

J. W. González, A. Ayuela

Centro de Física de Materiales (CSIC-UPV/EHU)-Material Physics Center (MPC), Donostia International Physics Center (DIPC), Departamento de Física de Materiales, Fac. Químicas UPV/EHU. Paseo Manuel de Lardizabal 5, 20018, San Sebastián-Spain

Speeding up linear-response DFT calculations with optimally reduced plane-wave basis sets

Tommaso Gorni, Iurii Timrov and Stefano Baroni

SISSA - Scuola Internazionale Superiore di Studi Avanzati, Trieste, Italy

Ferromagnetic iron as a topological metal

D.Gosálbez-Martínez^{1,2}, Ivo Souza^{1,3}, and David Vanderbilt⁴

1. Centro de Física de Materiales, Universidad del País Vasco, 20018 San Sebastián, Spain

2. Donostia International Physics Center, 20018 San Sebastián, Spain

3. Ikerbasque Foundation, 48013 Bilbao, Spain

4. Department of Physics and Astronomy, Rutgers University, Piscataway, New Jersey 08854-8019, USA

High performance electronic structure engineering with hybrid DFT and GW

Marco Govoni^{1,2}, Jonathan H Skone^{1,2} and Giulia Galli^{1,2}

1. Institute for Molecular Engineering, The University of Chicago (IL) USA

2. Materials Science Division, Argonne National Laboratory (IL) USA

Nonorthogonal generalized hybrid Wannier functions for linear scaling DFT simulations of surfaces and interfaces

Andrea Greco¹, Arash A. Mostofi¹, John W. Freeland²

1. Imperial College London

2. Argonne National Laboratory

Electronic properties and van Hove singularities of observed moiré patterns of dislocated graphene on HOPG

H. Şener Şen¹, Dilek Yıldız², Oğuzhan Gürlü² and Oğuz Gülseren¹

1 Bilkent University, Faculty of Science, Department of Physics, 06800, Bilkent, Ankara, Turkey

2 İstanbul Technical University, Faculty of Sciences and Letters, Department of Physics, Maslak, 34469, Sarıyer, İstanbul, Turkey

Electronic and Optic Properties of Corrugated Quantum Wells

M. Gunes¹ and E.G. Gunes²

1 Department of Computer Engineering, Tunceli University, 62000 Tunceli, Turkey

2 Department of Bioengineering, Tunceli University, 62000 Tunceli, Turkey

Valence Band Structure of Square Quantum Well Under Stress

M. Gunes¹ and E.G. Gunes²

1 Department of Computer Engineering, Tunceli University, 62000 Tunceli, Turkey

2 Department of Bioengineering, Tunceli University, 62000 Tunceli, Turkey

Electronic transport in doped boron nitride monolayer

Sanjeev K. Gupta^{1,2}, Haiying He³, Douglas Banyai², Ravindra Pandey², and Shashi P. Karna⁴

¹ Department of Physics and Electronics, St. Xavier's College, Ahmedabad, 380009, India

² Department of Physics, Michigan Technological University, Houghton, Michigan 49931, USA

³ Department of Physics and Astronomy, Valparaiso University, Valparaiso, IN 46383

⁴ US Army Research Laboratory, Weapons and Materials Research Directorate, ATTN: RDRLWM, Aberdeen Proving Ground, MD 21005-5069, U.S.A.

Li intercalation in graphite: A van der Waals density functional study

Ebrahim Hazrati¹, Gilles A. de Wijs¹, Geert Brocks²

¹. ESM/IMM, Radboud University Nijmegen

². MESA+ institute, University of Twente

Electronic structure of substitutionally disordered systems: orbitalbased CPA within a pseudopotential approach

Alexander Herbig¹, Rolf Heid¹, Robert Eder¹

¹. Institute for Solid State Physics, Karlsruhe Institute of Technology, Germany

A systematically improvable second-principles method including electron and lattice degrees of freedom

Pablo García-Fernández¹, Jacek Wojdeł², Jorge Íñiguez², Javier Junquera¹

¹. Departamento de Ciencias de la Tierra y Física de la Materia Condensada, Universidad de Cantabria, Avenida de los Castros s/n, E-39005, Santander (Spain)

². Institut de Ciència de Materials de Barcelona (ICMAB-CSIC), E-08193 Bellaterra, (Spain)

Thermoelectricity: Coupling transport equations and *ab initio* calculation

Gaston KANE, Nathalie VAST and Jelena SJAKSTE

Ecole Polytechnique, Laboratoire des Solides Irradiés CEA-DSM-IRAMIS, CNRS UMR7642, Palaiseau, France

Interplay between defects and stacking at the SiC/SiO₂ interface

Christopher Kirkham¹, Tomoya Ono¹

¹. Center for Computational Sciences, University of Tsukuba, Tsukuba, Japan

A General Purpose Massively Parallel *Ab Initio* Molecular Dynamics Implementation With A Linear Scaling Exact Exchange Algorithm

Hsin-Yu Ko¹, Biswajit Santra¹, Robert A. DiStasio Jr.¹, Lingzhu Kong¹, Zhaofeng Li¹, Xifan Wu², and Roberto Car¹

¹. Department of Chemistry, Princeton University, Princeton, NJ 08544, USA

². Department of Physics, Temple University, Philadelphia, PA 19122, USA

First-Principles Study Of Oxide Superlattices

Aysegul Begum Kocak, Marie-Bernadette Lepetit¹, Philippe Ghosez² & Julien Varignon²

Conversion of Toxic H₂S to Green Fuel H₂ with 2D-ZnO_{1-x}N_y

Summayya Kouser¹, Umesh V. Waghmare† and Nacir Tit²

1. Theoretical Sciences Unit, JNCASR Bangalore, India
2. Physics Department, UAE University, Al Ain, UAE

The Fermionic Shadow Wave Function for Electrons in Solid Molecular and Atomic Hydrogen

Francesco Calcavecchia¹ and Thomas D. Kühne²

1. Institute of Physics, Johannes Gutenberg University Mainz, Staudinger Weg 7, D-55128 Mainz, Germany
2. Department of Chemistry, University of Paderborn, Warburger Str. 100, D-33098 Paderborn, Germany

Metal-Insulator Transition and Lattice Instability of Paramagnetic V₂O₃

I. Leonov¹, V. I. Anisimov^{2,3}, and D. Vollhardt³

1. Theoretical Physics III, Center for Electronic Correlations and Magnetism, University Augsburg, Germany
2. Institute of Metal Physics, Yekaterinburg, Russia
3. Ural Federal University, Yekaterinburg, Russia

POSTER SESSION II

FRIDAY, 16 JANUARY 2015

The full abstract can be found on the Workshop's website:

<http://indico.ictp.it/event/a14243>

POSTER SESSION II

FRIDAY, 16 JANUARY 2015

In alphabetical order of presenting author (underlined)

Atomistic simulations of multicaloric effects in ferroelectrics

S. Lisenkov and I. Ponomareva

Department of Physics, University of South Florida, Tampa, FL 33620, USA

Structural defects in P3HT-polymer chains probed in the ballistic transport regime

A. Lücke¹, E. Rauls¹, F. Ortmann², W. G. Schmidt¹, and U. Gerstmann¹

1. Department of physics, University of Paderborn

2. Institute for Materials Science, Dresden University of Technology

Substrate doping: A strategy for enhancing reactivity of gold nanocatalyst by tuning the sp-bands

Nisha Mammen¹, Stefano de Gironcoli², Shobhana Narasimhan¹

1. Theoretical Sciences Unit, Jawaharlal Nehru Centre for Advanced Scientific Research, Bangalore 560064 India

2. SISSA, via Bonomea 265, 34136 Trieste, Italy

π Ag nanoclusters: An ab-initio vibrational dynamics Study

Venu H. Mankad¹, Sanjeev K. Gupta², Prafulla K. Jha³

1. Central Institute of Plastic Engineering and Technology, Ahmedabad-382 445, India

2. Department of Physics, St. Xavier's College, Navrangpura, Ahmedabad-380009, India

3. Department of Physics, Faculty of Science, The M. S. University of Baroda, Vadodara-390002, India

Thermal properties of bismuth calculated from first principles

Maxime Markov¹, Jelena Sjakste¹, Giorgia Fugallo¹, Lorenzo Paulatto², Francesco Mauri², Michele Lazzeri², Nathalie Vast¹

1 Laboratoire des Solides Irradiés, Ecole Polytechnique - CEA - DSM - IRAMIS - CNRS UMR 7642, 91128 Palaiseau cedex, France

2 IMPMC, Université Pierre et Marie Curie, CNRS 4 place Jussieu, F-75005 Paris, France

The Mixed (L-Threoninato)(L-Asparaginato)Copper(II) System - Conformational Analysis of an Isolated Complex

Marijana Marković^{1,2}, Michael Ramek², Jasmina Sabolović¹

1. Institute for Medical Research and Occupational Health, Ksaverska cesta 2, P. O. Box 291, HR-10001 Zagreb, Croatia, mmarkov@imi.hr, jasmina.sabolovic@imi.hr

2. Institut für Physikalische und Theoretische Chemie, Technische Universität Graz (NAWI Graz), Stremayrgasse 9, A-8010 Graz, Austria, michael.ramek@tugraz.at

Ultra-fast transient absorption of monolayer MoS₂ from first principles

Margherita Marsili¹, Deborah Prezzi¹, Davide Sangalli², Andrea Marini²

1. CNR, Istituto di Nanoscienze S3 – Modena (Italy)

2. CNR, ISM – Montelibretti (Italy)

Projector Augmented-wave formulation of response to strain and electric field perturbation within the density-functional perturbation theory

Alexandre Martin¹, Marc Torrent¹, Razvan Carracas²

1. CEA, DAM, DIF, F-91297 Arpajon, France

2. ENS de Lyon, UCBL Lyon 1, Université de Lyon

Surface Adsorbates and Defects on the Subsurface Cation Vacancy Stabilized Surface of Magnetite (001)

Eamon McDermott¹, Roland Bliem², Gareth Parkinson², Ulrike Diebold², Peter Blaha¹

1. Institute for Material Chemistry, TU Wien, Vienna, Austria

2. Institute of Applied Physics, TU Wien, Vienna, Austria

A multiscale computational method for fluid dynamics simulation: application of nanoscience to enhanced oil recovery process

Aline O. Pereira¹, Lucas Stori de Lara¹, Raphael S. Alvim¹, and Caetano R. Miranda¹

1. NanoPetro Research Group, Centro de Ciências Naturais e Humanas, Universidade Federal do ABC, Santo André, SP, 09210-580, Brazil

Stable and Efficient Linear Scaling First-Principles Molecular Dynamics for 10,000+ atoms

Michiaki Arita^{1,2}, David R. Bowler^{3,4,5} and Tsuyoshi Miyazaki^{1,2}

1. Computational Materials Science Unit, National Institute for Materials Science (NIMS), Japan

2. Graduate School of Science and Technology, Tokyo University of Science, Japan

3. Department of Physics & Astronomy, University College London (UCL), UK

4. London Centre for Nanotechnology (LCN), UCL, UK

5. International Materials Nanoarchitectonics (MANA), NIMS, Japan

Ab Initio Simulation of Enhanced Phosphorus-based Nano-composite Materials

Glenn Moynihan¹, David O'Regan²

1. CRANN Institute, Trinity College Dublin
2. School of Physics, Trinity College Dublin

An investigation of quantum transport properties in silicon nanotube

Ebrahim Nadimi¹, S. Ahmad Etghani^{2,3}

1. Electrical Engineering Department, KN Toosi University of Technology, Tehran
2. Electrical Engineering Department, KN Toosi University of Technology, Tehran
3. Electrical Engineering Department, University of Tehran (current affiliation)

Efficient optimization of local orbitals and eigenstate calculations in linear-scaling DFT code CONQUEST

Ayako Nakata¹, David R. Bowler², Y. Futamura³, T. Sakurai³ and Tsuyoshi Miyazaki¹

1. National Institute for Materials Science (NIMS), Japan
2. Department of Physics & Astronomy, University College London (UCL), U. K.
3. Department of Computer Science, University of Tsukuba, Japan

Native defects and impurities in single-layer MoS₂ and shallow level formation with dielectric environments

Ji-Young Noh^{1,2}, Hanchul Kim¹, Yong-Sung Kim²

1. Department of Physics, Sookmyung Women's University, Seoul, Korea
2. Korea Research Institute of Standards and Science, Daejeon, Korea

Quantum Confinement in Silicon Quantum-Slabs

NOURBAKSH Zahra

First-Principles Calculation for Thermal Oxidation Process of SiC

Tomoya Ono¹

1. Center for Computational Sciences

First Principle Simulation of Optical Spectra in Gold-based Alloys

Okan K. Orhan and David D. O'Regan

School of Physics, Trinity College Dublin, Ireland

Ab Initio Study of the Structural, Electronic, Optical and Thermal Properties of Hexagonal and Cubic Ge₂Sb₂Te₅

Odhiambo H.¹, Amolo G.², Makau N.², Othieno H.¹, Oduor A.¹ and Dusabirane F.²

1. Department of Physics and Materials Science, Maseno University, Kenya
2. Department of Physics, University of Eldoret, Kenya

Enhancement of superconductivity with low doping in two-dimensional multivalley semiconductors

Betül Pamuk¹, Matteo Calandra¹, Francesco Mauri¹

1. IMPMC, UMR CNRS 7590, Sorbonne Universités - UPMC

Jastrow correlations for solids

Martin Panholzer¹

1. Center for Surface and Nanoanalytics, Johannes Kepler University Linz

Efficient conformational sampling of complex adsorbates with Basin Hopping in curvilinear coordinates

Konstantin Krautgasser¹, Chiara Panosetti¹, Dennis Palagin², Karsten Reuter¹, and Reinhard J. Maurer³

1. Technische Universität München, Germany

2. University of Oxford, United Kingdom

3. Yale University, USA

Surface phase transition driven by deprotonation reaction

Andrea Floris¹, Chiara Paris¹, Lev Kantorovich¹

1. Department of Physics, King's College London, Strand, London WC2R 2LS, UK

Exchange-correlation kernels in adiabatic-connection fluctuation-dissipation DFT – the renormalized ALDA and other kernels from the electron gas

Christopher E. Patrick¹ and Kristian S. Thygesen¹

1. Centre for Atomic-Scale Materials Design (CAMD), Department of Physics, Technical University of Denmark, DK-2800 Kongens Lyngby, Denmark

First principle calculation of anharmonic effect on phonon frequency and spectral functions

Lorenzo Paulatto¹, Ion Errea^{2,3}, Matteo Calandra¹ and Francesco Mauri¹

1. Institut de minéralogie, de physique des matériaux et de cosmochimie (IMPMC), Université Pierre et Marie Curie (Paris VI), CNRS UMR 7590, IRD UMR 206, Case 115, 4 place Jussieu, 75252 Paris Cedex 05, France

2. Donostia International Physics Center (DIPC), Manuel de Lardizabal pasealekua 4, 20018 Donostia-San Sebastián, Basque Country, Spain

3. IKERBASQUE, Basque Foundation for Science, 48011, Bilbao, Spain

Seeding, nucleation and reactivity of alumina/Ni₃Al(111) supported metallic nanoclusters: an ab-initio investigation

Jimena A. Olmos-Asar¹, Erik Vesselli^{2,3}, Alfonso Baldereschi¹ and Maria Peressi^{1,4}

1 Physics Department, University of Trieste, Strada Costiera 11, I-34151 Trieste, Italy

2 Physics Department and CENMAT, University of Trieste, via Valerio 2, I-34127 Trieste, Italy

3 IOM-CNR Laboratorio TASC, Area Science Park, S.S. 14 km 163.5, I-34149 Trieste, Italy

4 IOM-CNR DEMOCRITOS, Trieste, Italy

Low energy polymorphs of glycine from automated crystal structure prediction including vdW-aware functionals

Cong-Huy Pham¹, Emine Kucukbenli², Stefano de Gironcoli¹

1. International School for Advanced Studies (SISSA), Trieste (Italy)
2. Ecole Polytechnique federale de Lausanne (EPFL), Lausanne (Switzerland)

Theophylline self-assembled structures on gold surfaces

Marco Pividori¹, Carlo Dri^{1,2}, Elena Orselli³, Maria Peressi^{1,2}, Giovanni Comelli^{1,2}

1. Department of Physics, University of Trieste
2. IOM-CNR Laboratorio TASC, Trieste
3. Department of Physics, University of Milan

Raman signature of atomically precise graphene nanoribbons

Marzio De Corato^{1,2}, Deborah Prezzi², Alice Ruini^{1,2}, Elisa Molinari^{1,2}

1. Department of Physics, Mathematics, and Informatics, University of Modena and Reggio Emilia, 41125 Modena, Italy
2. CNR-Nanoscience Institute, S3 Center, 41125 Modena, Italy

Optical nonlinear properties for solids and nanostructures: theory and numerical simulations

Lucie Prussel, Valérie Vénard

Laboratoire des Solides Irradiés, Ecole Polytechnique, CNRS, CEA/DSM, 91128 Palaiseau, France and European Theoretical Spectroscopy Facility (ETSF)

Adsorption of pyridine on graphene

Abhilash R.¹, H. Lin¹, G. Fratesi^{1,2}, G.P. Brivio¹

1. Dipartimento di Scienza dei Materiali, Università di Milano - Bicocca, Via Cozzi 53 - 20125 Milano, Italy
2. Dipartimento di Fisica, Università di Milano, Via Celoria, 16 - 20133 Milano, Italy

Spin-Orbit interactions in single layer and nanoribbons of NiSe₂

J. A. Reyes Retana¹, G. G Naumis², F. Cervantes-Sodi¹

1. Departamento de Física y Matemáticas, Universidad Iberoamericana, Prolongación Paseo de la Reforma 880, Lomas de Santa Fe, 01219, DF, México
2. Departamento de Física-Química, Instituto de Física, Universidad Nacional Autónoma de México (UNAM), Apartado Postal 20-364, 01000 México, Distrito Federal, México

Thermoelectric properties of AgSbTe₂ from first-principles calculations

Nafiseh Rezaei¹, S. Javad Hashemifar^{1,2} and Hadi Akbarzadeh¹

- 1 Department of Physics, Isfahan University of Technology, 84156-83111 Isfahan, Iran
- 2 Nanotechnology and Advanced Materials Institute, Isfahan University of Technology, 84156-83111 Isfahan, Iran

Density functional investigation of spin polarization in bulk and thin films of nitrogen intercalated Cu₃N

Seyed Mojtaba Rezaei Sani¹, Masoud Karimipour², Marzieh Ghoohestani³, Seyed Javad Hashemifar⁴

1. Computational Physical Sciences Research Laboratory, School of Nano-Science, Institute for Research in Fundamental Sciences (IPM), Tehran, Iran
2. Department of Physics, Vali-E-Asr University of Rafsanjan, 77139-36417 Rafsanjan, Iran
3. Nano research center, Department of Physics, Malek Ashtar University of Technology, Shahin Shahr, Isfahan, Iran
4. Department of Physics, Isfahan University of Technology, Isfahan, 84156-83111, Iran

Feasible and reliable ab initio calculations of materials relevant for nuclear waste management

Jose Jorge Rios Ramirez, George Beridze, Yan Li, Ariadna Blanca Romero and *Piotr M. Kowalski

Institut für Energie- und Klimaforschung (IEK-6) Nukleare Entsorgung, Forschungszentrum Jülich GmbH, 52425 Jülich, Germany; *contact: p.kowalski@fzjuelich.de

Dielectric matrix formulation of correlation energies within the Random Phase Approximation: Inclusion of (screened) exchange effects

Dario Rocca^{1,2}, Bastien Mussard^{1,2}, Georg Jansen³, János G. Ángyán^{2,1}

1. University of Lorraine, Nancy (France)
2. CNRS, Nancy (France)
3. University of Duisburg-Essen (Germany)

A multi-scale protocol for simulating the optical properties of natural dyes in solution

Marta Rosa¹, Marco Micciarelli¹, Stefano Baroni^{1,2}, Alessandro Laio¹

- 1 Scuola Internazionale Superiore di Studi Avanzati (SISSA), Via Beirut 2-4, I-34014 Trieste, Italy
- 2 CNR-INFM DEMOCRITOS Theory@Elettra Group, I-34014 Trieste, Italy

Latent heat of magnetization for MnFeSi_{0.33}P_{0.66}

Prasenjit Roy¹, R. A. de Groot¹

1. Theoretical chemistry group, Institute of molecules and materials, Radboud University, Nijmegen, Netherlands

Effects of aggregation, defects and functionalization in conjugated polymers

Daniele Varsano¹, Arrigo Calzolari¹, Alice Ruini^{1,2}

1. CNR-NANO Istituto Nanoscienze, Centro S3, I-41125 Modena, Italy
2. Dipartimento di Scienze Fisiche, Informatiche e Matematiche, Università di Modena e Reggio Emilia, I-41125 Modena, Italy

A real-time DFT scheme for electronic transport

Philipp Schaffhauser¹, Stephan Kümmel¹

1. Theoretical Physics IV, University of Bayreuth, Germany

Exploring a non-local correlation functional: One-electron selfinteraction, potential asymptotics, and localized states

Tobias Schmidt¹, Stephan Kümmel¹

1. Theoretical Physics IV, University of Bayreuth, 95440 Bayreuth, Germany

First-principles based descriptor for intrinsic charge carrier mobility in organic devices

Christoph Schober¹, Karsten Reuter¹, Harald Oberhofer¹

1. Lehrstuhl für Theoretische Chemie, Technische Universität München

Blue phosphorene - metal interface study from first principles

Devina Sharma¹ and Shobhana Narasimhan¹

1. Theoretical Science Unit, Jawaharlal Nehru Center for Advanced Scientific Research, Bangalore 560064 India

On the orbital ordering transition in KCuF₃

Hunter Sims¹, Eva Pavarini², Erik Koch¹

1. Dept. of Computational Materials Science, German Research School for Simulation Sciences, 52428 Jülich, Germany

2. Institute for Advanced Simulation, Forschungszentrum Jülich, 52428 Jülich, Germany

First-principles methods for 2D materials: electron-phonon interaction, strain-induced fields and screening in graphene

Thibault Sohier¹

1. Institut de Minéralogie, de Physique des Matériaux, et de Cosmochimie (IMPMC), Sorbonne Universités, UPMC Univ Paris 06, UMR CNRS 7590, Muséum National d'Histoire Naturelle, IRD UMR 206, 4 Place Jussieu, F-75005 Paris, France

A theoretical analysis of the role of defects and doping in hexagonal boron nitride sheets

Himadri R. Soni¹, Prafulla K. Jha²

1. Lehrstuhl für Theoretische Chemie, Friedrich-Alexander Universität Erlangen-Nürnberg, Universität Erlangen-Nürnberg, Egerlandstr. 3, D-91058 Erlangen, Germany

2. Department of Physics, Faculty of Science, The Maharaja Sayajirao University of Baroda, Vadodara 390002, India

Physical Factors Influencing Excited State Charge Transfer at the Perylene – Titanium Oxide Interface

O.A. Syzgantseva^{1,2}), K. Laasonen²), M. Puska¹)

1. COMP, Department of Applied Physics, Aalto University, P.O. Box 11100 FI-00076 Aalto, Finland

2. COMP, Department of Chemistry, Aalto University, P.O. Box 16100 FI-00076 Aalto, Finland

Self-Consistent Continuum Solvation model for the optical properties of complex molecular systems in solution

Iurii Timrov¹, Oliviero Andreussi², Alessandro Biancardi¹, Nicola Marzari³, and Stefano Baroni¹

1. SISSA - Scuola Internazionale Superiore di Studi Avanzati, Trieste, Italy

2. Department of Chemistry, University of Pisa, Pisa, Italy

3. EPFL - Ecole Polytechnique Federale de Lausanne (THEOS), Lausanne, Switzerland

Spin asymmetric band gap opening in graphene by Fe adsorption

E. del Castillo^{1,2}, F. Cargnoni^{1,2}, S. Achilli^{1,2}, M.I. Trioni ^{1,2}

1. Chemistry Department, University of Milan, via Golgi 19, 20133 Milano, Italy

2. CNR, National Research Council of Italy, ISTM, via Golgi 19, 20133 Milano, Italy

Modelling Cancellation Effects in the Optical Response of Many-Electron Systems

Marilena Tzavala^{1,2}, Claudia Rödl^{1,2}, Lucia Reining^{1,2}

1. Laboratoire des Solides Irradiés, Ecole Polytechnique, CEA, CNRS, 91128 Palaiseau cedex, France

2. European Theoretical Spectroscopy Facility (ETSF)

Tuning spin transport properties and molecular magnetoresistance through contact geometry

Ulman

Microscopic theory and ab initio simulation of atomic heat transport

Aris Marcolongo¹ and Stefano Baroni¹ and Paolo Umari²

1. SISSA – Scuola Internazionale Superiore di Studi Avanzati, Via Bonomea 265, 34136 Trieste, Italy

2. Dipartimento di Fisica e Astronomia, Università di Padova, Via Marzolo 8, I-35131 Padova, Italy

Ab initio study of structural and vibrational properties of energetic solids

G. Vaitheeswaran*

Advanced Centre of Research in High Energy Materials (ACRHEM), University of Hyderabad, Prof. C. R. Rao Road, Gachibowli, Hyderabad-500046, India

Protein field effects on electronic excitations of biological chromophores: a QMC and GW/BSE approach in QM/MM environment

Daniele Varsano¹, Emanuele Coccia², Olivia Pulci², Adriano Mosca Conte³, Leonardo Guidoni²

1. S3 Center, CNR Institute of Nanoscience, via Campi 213/A, 41125 Modena, Italy
2. Dipartimento di Scienze Fisiche e Chimiche, Università degli Studi dell'Aquila, via Vetoio, 67100 Coppito, L'Aquila, Italy
3. ETSF, Dipartimento di Fisica, Università di Roma Tor Vergata, Via della Ricerca Scientifica 1, 00133 Rome, Italy

Adsorption and dissociative adsorption of Nitric Oxide (NO) on Rh cluster over MgO(001) surface

Vasudevan M V¹, Bulumoni Kalita¹, Prasenjit Ghosh² and Shobhana Narasimhan¹

- 1 Jawaharlal Nehru Centre for Advanced Scientific Research, Bangalore, 560064
- 2 Departments of Chemistry and Physics, Indian Institute of Science Education and Research-Pune, Pune 411021

Electron and Optical Spectroscopies of Graphene Nanoribbons on Au(111): Insights from Ab-Initio Calculations

Shudong Wang¹, Deborah Prezzi¹, Andrea Ferretti¹, Alice Ruini^{1,2}, Elisa Molinari^{1,2}

1. CNR-Nanoscience Institute, S3 Center, 41125 Modena, Italy
2. Department of Physics, Mathematics, and Informatics, University of Modena and Reggio Emilia, 41125 Modena, Italy

Ab-initio modeling of peroxy bridge defect in amorphous silica

B. Winkler¹, L. Martin-Samos¹, N. Richard², S. Girard³

- 1) Materials Research Laboratory, University of Nova Gorica, Vipavska 11c, 5270-Ajdovščina, Slovenia
- 2) CEA, DAM, DIF, Bruyères-le-Châtel, F-91297 Arpajon Cedex, France
- 3) Laboratoire Hubert Curien, Université de St-Etienne, UMR-CNRS 5516, Bâtiment F, 18 Rue du Professeur Benoît Lauras, F-42000 St-Etienne, France

Ab-initio studies of geometric and electronic properties of group VI-B transition metal dichalcogenides monolayers

Tomasz Woźniak¹, Paweł Scharoch¹

1. Department of Theoretical Physics, Wrocław University of Technology, Poland

The electronic structure of organic-inorganic hybrid compounds: (NH₄)₂CuCl₄, (CH₃NH₃)₂CuCl₄ and (C₂H₅NH₃)₂CuCl₄

P. Zolfaghari¹, G A de Wijs¹ and R A de Groot¹

1. ESM/IMM, Radboud University, Nijmegen, The Netherlands

**LIST
OF
PARTICIPANTS**



The Abdus Salam
**International Centre
for Theoretical Physics**



Activity SMR: **2703**

International Workshop on Computational Physics and Materials Science: Total Energy and Force Methods

**15 January 2015 - 17 January 2015
Trieste - ITALY**

Psi-k, Consorzio per la Fisica di Trieste, CECAM , SISSA

Preliminary List of Participants

Total Number of Visitors: 196

No.	NAME and INSTITUTE	Nationality	Function
DIRECTOR		Total number in this function: 3	
1.	KOCH Erik	GERMANY	DIRECTOR
	Permanent Institute: German Research School for Simulation Science Wilhelm-Johnen Str. 52428 Juelich GERMANY Permanent Institute e mail e.koch@grs-sim.de		
2.	LOUIE Steven Gwon Sheng	UNITED STATES OF AMERICA	DIRECTOR
	Permanent Institute: University of California Department of Physics 366 Le Conte Hall Berkeley CA 94720-7300 UNITED STATES OF AMERICA Permanent Institute e mail sglouie@berkeley.edu		
3.	SCANDOLO Sandro	ITALY	LOCAL ORGANIZER
	Permanent Institute: The Abdus Salam International Centre for Theoretical Physics Condensed Matter and Statistical Physics Section Strada Costiera 11 34151 Trieste ITALY Permanent Institute e mail scandolo@ictp.it		

No.	NAME and INSTITUTE	Nationality	Function
ORGANIZING COMMITTEE		Total number in this function: 11	
4.	BALDERESCHI Alfonso	ITALY	SCIENTIFIC COMMITTEE MEMBER
	Permanent Institute: ITALY Permanent Institute e mail baldereschi@ts.infn.it	Ecole Polytechnique Federale de Lausanne Institut de Theorie des Phenomenes Physiques EPFL SB PH H2 482 (Batiment PH) Station 3 CH-1015 Lausanne SWITZERLAND	alfonso.baldereschi@epfl.ch 31 December 2014
5.	FINNIS Michael William	UNITED KINGDOM	SCIENTIFIC COMMITTEE MEMBER
	Permanent Institute: Imperial College London Department of Materials Exhibition Road London SW7 2AZ UNITED KINGDOM Permanent Institute e mail m.finnis@imperial.ac.uk		
6.	GALLI Giulia	ITALY	SCIENTIFIC COMMITTEE MEMBER
	Permanent Institute: University of California Department of Chemistry One Shields Avenue Davis CA 95616-8677 UNITED STATES OF AMERICA Permanent Institute e mail gagalli@ucdavis.edu		
7.	GONG Xin-gao	PEOPLE'S REPUBLIC OF CHINA	SCIENTIFIC COMMITTEE MEMBER
	Permanent Institute: Fudan University Department of Physics 220 Handan Road 200433 Shanghai PEOPLE'S REPUBLIC OF CHINA Permanent Institute e mail xggong@fudan.edu.cn		
8.	IHM Jisoon	REPUBLIC OF KOREA	SCIENTIFIC COMMITTEE MEMBER
	Permanent Institute: Seoul National University Department of Physics San 56-1 Shillim-Dong Kwanak-Gu 151 747 Seoul REPUBLIC OF KOREA Permanent Institute e mail jihm@snu.ac.kr		

No.	NAME and INSTITUTE	Nationality	Function
9.	MARTIN Richard Mc Fadden	UNITED STATES OF AMERICA	SCIENTIFIC COMMITTEE MEMBER
	Permanent Institute: Stanford University Department of Applied Physics 348 Via Pueblo Mall Stanford CA 94305 UNITED STATES OF AMERICA Permanent Institute e mail rmartin@illinois.edu		
10.	MARZARI Nicola	ITALY	SCIENTIFIC COMMITTEE MEMBER
	Permanent Institute: EPFL STI IMX THEOS Ecole Polytechnique Federal de Lausanne Station 12 CH-1015 Lausanne SWITZERLAND Permanent Institute e mail nicola.marzari@epfl.ch		
11.	MAURI Francesco	ITALY	SCIENTIFIC COMMITTEE MEMBER
	Permanent Institute: Universite' Pierre et Marie Curie Institut de Mineralogie et de Physique des Milieux Condenses - Case 115 4 Place Jussieu 75005 Paris FRANCE Permanent Institute e mail francesco.mauri@imPMC.jussieu.fr, mauri@imPMC.jussieu.fr		
12.	NARASIMHAN Shobhana	INDIA	SCIENTIFIC COMMITTEE MEMBER
	Permanent Institute: Theoretical Sciences Unit Jawaharlal Nehru Centre for Advanced Scientific Research Jakkur Campus Bangalore 560064 INDIA Permanent Institute e mail shobhana@jncasr.ac.in		
13.	PICKETT Warren	UNITED STATES OF AMERICA	SCIENTIFIC COMMITTEE MEMBER
	Permanent Institute: University of California Davis Department of Physics One Shields Ave CA 95616 Davis UNITED STATES OF AMERICA Permanent Institute e mail wepickett@ucdavis.edu		

No.	NAME and INSTITUTE	Nationality	Function
14.	REINING Lucia	GERMANY	SCIENTIFIC COMMITTEE MEMBER
	Permanent Institute: Ecole Polytechnique Laboratoire des Solides Irradies LSI Route de Saclay F-91128 Palaiseau Cedex FRANCE Permanent Institute e mail lucia.reining@polytechnique.fr		

No.	NAME and INSTITUTE	Nationality	Function
SPEAKER		Total number in this function: 25	
15.	ALAVI Ali	UNITED KINGDOM	SPEAKER
	Permanent Institute: Max Planck Institute for Solid State Research Heisenbergstrasse 1 70569 Stuttgart GERMANY Permanent Institute e mail A.Alavi@fkf.mpg.de		
16.	BLASE Xavier	FRANCE	SPEAKER
	Permanent Institute: Institut Neel - CNRS 25, Rue des Martyrs 38042 Grenoble FRANCE Permanent Institute e mail xavier.blase@neel.cnrs.fr		
17.	CAR Roberto	ITALY	SPEAKER
	Permanent Institute: Princeton University Department of Chemistry Washington Road and William St. NJ 08544-1009 Princeton UNITED STATES OF AMERICA Permanent Institute e mail rcar@princeton.edu		
18.	CHARLIER Jean-Christophe	BELGIUM	SPEAKER
	Permanent Institute: Universite Catholique de Louvain Unite de Physico-Chimie et Physique des Materiaux Batiment Boltzmann Place Croix Du Sud 1 B-1348 Louvain La Neuve BELGIUM Permanent Institute e mail charlier@pcpm.ucl.ac.be, jean-christophe.charlier@uclouvain.be		
19.	CHELIKOWSKY James R.	UNITED STATES OF AMERICA	SPEAKER
	Permanent Institute: Institute for Computational Engineering and Sciences University of Texas at Austin 201 East 24th St. Stop C0200 78712-1229 Austin UNITED STATES OF AMERICA Permanent Institute e mail jrc@utexas.edu		

No.	NAME and INSTITUTE	Nationality	Function
20.	COHEN Marvin L.	UNITED STATES OF AMERICA	SPEAKER
	Permanent Institute: University of California Department of Physics 366 Le Conte Hall Berkeley CA 94720-7300 UNITED STATES OF AMERICA Permanent Institute e mail mlcohen@berkeley.edu		
21.	DAI Xi	PEOPLE'S REPUBLIC OF CHINA	SPEAKER
	Permanent Institute: Division of Theory The Institute of Physics Chinese Academy of Sciences #8 South Third Street 100190 Beijing PEOPLE'S REPUBLIC OF CHINA Permanent Institute e mail daix@aphy.iphy.ac.cn, daixi721@gmail.com		
22.	FOULKES William Matthew Colwyn	UNITED KINGDOM	SPEAKER
	Permanent Institute: Imperial College London Blackett Laboratory Condensed Matter Theory Group Department of Physics Prince Consort Road SW7 2AZ London UNITED KINGDOM Permanent Institute e mail wmc.foulkes@imperial.ac.uk		
23.	GIBERTINI Marco	ITALY	SPEAKER
	Permanent Institute: Theory and Simulation of Materials- Ecole Polytechnique Federale de Lausanne EPFL STI IMX THEOS, Station 12 CH-1015 Lausanne SWITZERLAND Permanent Institute e mail marco.gibertini@epfl.ch		
24.	HEID Rolf	GERMANY	SPEAKER
	Permanent Institute: Karlsruhe Institute of Technology Wolfgang-Gaede-Strasse 1 Karlsruhe GERMANY Permanent Institute e mail heid@kit.edu		

No.	NAME and INSTITUTE	Nationality	Function
25.	KORTUS Jens Permanent Institute: TU Bergakademie Freiberg Institut fuer Theoretische Physik Leipziger Str. 23 09596 Freiberg GERMANY Permanent Institute e mail jens.kortus@physik.tu-freiberg.de	GERMANY	SPEAKER
26.	KUMMEL Stephan Permanent Institute: University of Bayreuth Theoretical Physics IV Universitaetsstrasse 30 95440 Bayreuth Bayer GERMANY Permanent Institute e mail stephan.kuemmel@uni-bayreuth.de	GERMANY	SPEAKER
27.	LECHERMANN Frank Permanent Institute: I- Institut fuer Theoretische Physik Jungiusstraße 9 D20355 Hamburg GERMANY Permanent Institute e mail frank.lechermann@physnet.uni-hamburg.de	GERMANY	SPEAKER
28.	LISCHNER Johannes Permanent Institute: Imperial College London South Kensington Campus London SW7 2AZ UNITED KINGDOM Permanent Institute e mail jlischner597@gmail.com	GERMANY	SPEAKER
29.	MAZZARELLO Riccardo Permanent Institute: RWTH Aachen, Institute for Theoretical Solid State Physics Sommerfeldstrasse 26 D-52056 Aachen GERMANY Permanent Institute e mail mazzarello@physik.rwth-aachen.de	ITALY	SPEAKER

No.	NAME and INSTITUTE	Nationality	Function
30.	OKAMOTO Satoshi	JAPAN	SPEAKER
	Permanent Institute: Oak Ridge National Laboratory Materials Science and Technology Division 1 Bethel Valley Road, P.O. Box 2008 Oak Ridge 37831 TN UNITED STATES OF AMERICA Permanent Institute e mail okapon@ornl.gov		
31.	PAVARINI Eva	ITALY	SPEAKER
	Permanent Institute: Forschungszentrum Julich GmbH Peter Grunberg Institute D-52425 Julich GERMANY Permanent Institute e mail e.pavarini@fz-juelich.de		
32.	PEDERSON Mark R.	UNITED STATES OF AMERICA	SPEAKER
	Permanent Institute: Office of Basic Energy Sciences US Department of Energy 1000 Independence Ave SW Washington 20015 DC UNITED STATES OF AMERICA Permanent Institute e mail mark.pederson@science.doe.gov		
33.	PENTCHEVA Rossitza Vladimirova	BULGARIA	SPEAKER
	Permanent Institute: Fakultaet fuer Physik Universitaet Duisburg Essen Lotharstr. 1 D-47048 Duisburg North Rhine-Westphalia (NRW) GERMANY Permanent Institute e mail rossitza.pentcheva@uni-due.de		
34.	ROMANIELLO Pina	ITALY	SPEAKER
	Permanent Institute: Laboratoire de Physique Theorique IRSAMC Universite Paul Sabatier 118 route de Narbonne 31062 Toulouse Cedex 04 FRANCE Permanent Institute e mail pina.romaniello@irsamc.ups-tlse.fr		

No.	NAME and INSTITUTE	Nationality	Function
35.	SAITTA Antonino Marco	ITALY	SPEAKER
	Permanent Institute: IMPMC-CC 115 Universite' Pierre Et Marie Curie 4 Place Jussieu 75005 Paris FRANCE Permanent Institute e mail marco.saitta@upmc.fr		
36.	SHIRODKAR Sharmila Narendra	INDIA	SPEAKER
	Permanent Institute: Jawaharlal Nehru Centre for Advanced Scientific Research JNCASR Theoretical Sciences Unit Materials Theory Group Jakkur Bangalore 560064 Karnataka INDIA Permanent Institute e mail sharmilas@jncasr.ac.in		
37.	SOTTILE Francesco	ITALY	SPEAKER
	Permanent Institute: 6e Compagnie, Promotion 2003 Ecole Polytechnique F-91128 Palaiseau Cedex FRANCE Permanent Institute e mail francesco.sottile@polytechnique.fr		
38.	STAROVEROV Viktor	CANADA	SPEAKER
	Permanent Institute: The University of Western Ontario Department of Chemistry London N6A 5B7 Ontario CANADA Permanent Institute e mail vstarove@uwo.ca		
39.	WIRTZ Ludger	GERMANY	SPEAKER
	Permanent Institute: University of Luxembourg, Faculty of Science, Technology and Communication 162 Aavenue de la Faencerie 1511 Luxembourg LUXEMBOURG Permanent Institute e mail ludger.wirtz@uni.lu		

No.	NAME and INSTITUTE	Nationality	Function
PARTICIPANT		Total number in this function: 157	
40.	AKHAVAN Mojdeh Permanent Institute: Computational Physical Sciences Research Laboratory School of Nano-Science Institute for Research in Fundamental Sciences IPM Farmanieh Tehran ISLAMIC REPUBLIC OF IRAN Permanent Institute e mail m.akhavan@ipm.ir	ISLAMIC REPUBLIC OF IRAN	PARTICIPANT
41.	AMADON Bernard Permanent Institute: CEA-DIF Departement de Physique Theorique et Appliquee Bruyères-le-Châtel 91297 Arpajon FRANCE Permanent Institute e mail bernard.amadon@cea.fr	FRANCE	PARTICIPANT
42.	AMBROSETTI Alberto Permanent Institute: Universita' degli Studi di Padova Department of Physics Via Marzolo, 8 35131 Padova 35131 ITALY Permanent Institute e mail albertoambrosetti@gmail.com	ITALY	PARTICIPANT
43.	ANDREUSSI Oliviero Permanent Institute: Department of Chemistry University of Pisa Via Moruzzi 3 Pisa 56124 ITALY Permanent Institute e mail oliviero.andreussi@unipi.it	ITALY	PARTICIPANT
44.	BAFFOUR AWUAH Joel Permanent Institute: Kwame Nkrumah University Of Science and Technology College of Science Department of Physics Knust 00233 Kumasi Ashanti GHANA Permanent Institute e mail provost.sci@knust.edu.gh	GHANA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
45.	BAGHERI Varnousfaderani Behnaz Permanent Institute: SoftSimu-the Karttunen Group Computational and Theoretical Chemistry and Physics University of Waterloo 200 University Avenue West Waterloo N2L 3G1 ON CANADA Permanent Institute e mail b2bagher@uwaterloo.ca	ISLAMIC REPUBLIC OF IRAN Present institute: University of Waterloo 200 University Avenue West Waterloo Ontario N2L 3G1 CANADA Until when:	PARTICIPANT 31 October 2016
46.	BARBORINI Matteo Permanent Institute: Centro S3, CNR Istituto di Nanoscienze Via Campi 213/a Modena 41125 ITALY Permanent Institute e mail matteo.barborini@nano.cnr.it	ITALY	PARTICIPANT
47.	BARONI Stefano Permanent Institute: SISSA & DEMOCRITOS National Simulation Center Via Bonomea 265 34136 Trieste ITALY Permanent Institute e mail baroni@sissa.it	ITALY	PARTICIPANT
48.	BERGER Jan Adriaan Permanent Institute: Laboratoire de Chimie et Physique Quantiques IRSAMC Universite' Toulouse III - Paul Sabatier 118 Route de Narbonne 31062 Toulouse FRANCE Permanent Institute e mail arjan.berger@polytechnique.edu	NETHERLANDS	PARTICIPANT
49.	BHAT Soumya Sadashiva Permanent Institute: Indian Institute of Science, Department of Materials Engineering, Prof U. Ramamurty Lab Bangalore Bangalore 560012 Karnataka INDIA Permanent Institute e mail soumyabhat25@gmail.com	INDIA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
50.	BOGUSLAWSKI Piotr Permanent Institute: Polish Academy of Sciences Institute For Theoretical Physics Al. Lotnikow 32/46 O2-668 Warsaw POLAND Permanent Institute e mail bogus@ifpan.edu.pl	POLAND	PARTICIPANT
51.	BORGHI Giovanni Permanent Institute: Ecole Polytechnique Federale de Lausanne, MXC department, lab THEOS EPFL STI IMX THEOS MXC 341 (Bâtiment MXC) Station 12 CH-1015 Lausanne 1015 Lausanne Vaud SWITZERLAND Permanent Institute e mail giovanni.borghi@epfl.ch	ITALY	PARTICIPANT
52.	BORINAGA Miguel Permanent Institute: Centro de Fisica de Materiales CFM-MPC CSIC-EHU Paseo de Manuel Lardizabal 5 Donostia San Sebastian Gipuzkoa SPAIN Permanent Institute e mail mborinaga001@ehu.es	SPAIN	PARTICIPANT
53.	BRANQUINHO DE QUEIROZ Thiago Permanent Institute: University of Bayreuth Theoretical Physics IV Universitaetsstrasse 30 95440 Bayreuth Bayer GERMANY Permanent Institute e mail thiago.branquinho-de-queiroz@uni-bayreuth.de	BRAZIL	PARTICIPANT
54.	BURSI Luca Permanent Institute: Department of Physics University of Modena and Reggio Emilia via Campi 213/A Modena ITALY Permanent Institute e mail luca.bursi@unimore.it	ITALY	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
55.	CALZOLARI Arrigo Permanent Institute: Istituto Nanoscienze CNR NANO S3 Via Campi 213/A 41100 Modena ITALY Permanent Institute e mail arrigo.calzolari@nano.cnr.it	ITALY	PARTICIPANT
56.	CAMPI Davide Permanent Institute: University of Milano-Bicocca Department of Material Science Via R.Cozzi 53 20816 Milano ITALY Permanent Institute e mail d.campi@campus.unimib.it	ITALY	PARTICIPANT
57.	CAZZANIGA Marco Permanent Institute: Universita' degli Studi di Milano Dipartimento di Fisica Via Celoria, 16 20133 Milano ITALY Permanent Institute e mail marco.cazzaniga@guest.unimi.it	ITALY	PARTICIPANT
58.	CEPELLOTTI Andrea Permanent Institute: Ecole Polytechnique Federale de Lausanne- STI IMX- Theory and Simulation of Materials Station 12 1007 Lausanne Vaud SWITZERLAND Permanent Institute e mail andrea.cepellotti@epfl.ch	ITALY	PARTICIPANT
59.	CERESOLI Davide Permanent Institute: Istituto di Scienze e Tecnologie Molecolari Consiglio Nazionale delle Ricerche via Golgi 19 Milano 20133 ITALY Permanent Institute e mail davide.ceresoli@istm.cnr.it	ITALY	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
60.	CHITTARI Bheema Lingam Permanent Institute: Dr. Vijay Kumar Foundation 1969, Sector-4 Gurgaon 122001 Haryana INDIA Permanent Institute e mail bheemalingam@yahoo.com	INDIA	PARTICIPANT
61.	COCOCCIONI Matteo Permanent Institute: Ecole Polytechnique Federale de Lausanne, EPFL EPFL-STI-IMX THEOS, Station 12, MXC 338 CH 1015 Lausanne SWITZERLAND Permanent Institute e mail matteo.cococcioni@epfl.ch	ITALY	PARTICIPANT
62.	CORNI Stefano Permanent Institute: INFM CNR S3 Centre c/o Dipartimento di Fisica Universita' di Modena e Reggio Emilia Via Campi, 213/A 41100 Modena ITALY Permanent Institute e mail stefano.corni@nano.cnr.it	ITALY	PARTICIPANT
63.	CORRADINI Dario Permanent Institute: Ecole Normale Superieure Departement de Chimie Laboratoire PASTEUR UMR 8640 24 rue Lhomond 75005 Paris FRANCE Permanent Institute e mail dario.corradini@ens.fr	ITALY	PARTICIPANT
64.	DAL CORSO Andrea Permanent Institute: International School for Advanced Studies SISSA-ISAS Condensed Matter Sector Via Bonomea 265 Trieste 34136 ITALY Permanent Institute e mail dalcorso@sissa.it	ITALY	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
65.	DARDENNE Nicolas	BELGIUM	PARTICIPANT
	Permanent Institute: Georges Lemaitre Centre for Earth and Climate Earth and Life Institute Universite catholique de Louvain Place Louis Pasteur, 3 Louvain La Neuve BELGIUM Permanent Institute e mail n.dardenne@uclouvain.be		
66.	DAUTH Matthias Christian	GERMANY	PARTICIPANT
	Permanent Institute: University of Bayreuth Universitaetsstrasse 30 95440 Bayreuth GERMANY Permanent Institute e mail matthias.dauth@uni-bayreuth.de		
67.	DE MELLO VENEZUELA Pedro Paulo	BRAZIL	PARTICIPANT
	Permanent Institute: Instituto de Fisica da Universidade Federal Fluminense Av- Gal- Milton Tavares de Souza s-nº Niteroi BRAZIL Permanent Institute e mail pedro.venezuela@gmail.com		
68.	DEL CASTILLO Elisabetta	ITALY	PARTICIPANT
	Permanent Institute: Dipartimento di Chimica Universita' degli Studi di Milano Via Golgi 19 20133 Milano ITALY Permanent Institute e mail elisabetta.delcastillo@unimi.it		
69.	DRAGONI Daniele Francesco	ITALY	PARTICIPANT
	Permanent Institute: Theory and Simulation of Materials- Ecole Polytechnique Federale de Lausanne EPFL STI IMX THEOS, Station 12 1015 Lausanne Vaud SWITZERLAND Permanent Institute e mail daniele.dragoni@epfl.ch		

No.	NAME and INSTITUTE	Nationality	Function
70.	EL HAJ HASSAN Fouad Permanent Institute: Lebanese University Faculty of Science I LPM Laboratoire de Physique des Materiaux El Hadath Beirut LEBANON Permanent Institute e mail hassan.f@ul.edu.lb	LEBANON	PARTICIPANT
71.	ERREA Ion Permanent Institute: Donostia International Physics Center DIPIC Manuel de Lardizabal pasealekua 4 20018 Donostia San Sebastian Basque Country SPAIN Permanent Institute e mail ion.errea@ehu.es	SPAIN	PARTICIPANT
72.	FERNANDEZ-SERRA Marivi Permanent Institute: Stony Brook University Physics Department Stony Brook 11733 NY UNITED STATES OF AMERICA Permanent Institute e mail maria.fernandez-serra@stonybrook.edu	SPAIN	PARTICIPANT
73.	FERRETTI Andrea Permanent Institute: Centro S3, CNR-Istituto Nanoscienze via G. Campi 213/a 41124 Modena ITALY Permanent Institute e mail andrea.ferretti@nano.cnr.it	ITALY	PARTICIPANT
74.	FIorentINI Mattia Permanent Institute: Physics Department King's College London Strand WC2R 2LS London UNITED KINGDOM Permanent Institute e mail mattia.fiorentini@kcl.ac.uk	ITALY	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
75.	FISICARO Giuseppe Permanent Institute: Prof.Dr.S.Goedecker Department of Physics University of Basel Klingelbergstrasse 82 4056 Basel Basel-Stadt SWITZERLAND Permanent Institute e mail giuseppe.fisicaro@unibas.ch	ITALY	PARTICIPANT
76.	FRATESI Guido Permanent Institute: Dipartimento di Fisica Universita' degli Studi di Milano via Celoria 16 Milano 20133 ITALY Permanent Institute e mail guido.fratesi@unimi.it	ITALY	PARTICIPANT
77.	FRITZ Michelle Permanent Institute: Universidad Autonoma de Madrid Ciudad Universitaria de Cantoblanco, 28049 Madrid SPAIN Permanent Institute e mail michelle.fritz@uam.es	UNITED STATES OF AMERICA	PARTICIPANT
78.	FUGALLO Giorgia Permanent Institute: Laboratoire des Solides Irradies ETSF Ecole Polytechnique bat 411 91128 Palaiseau FRANCE Permanent Institute e mail giorgia.fugallo@polytechnique.edu	ITALY	PARTICIPANT
79.	GALANTE Mario Permanent Institute: Universita' degli Studi di Padova Dipartimento di Fisica e Astronomia Galileo Galilei Via F. Marzolo 8 Padova ITALY Permanent Institute e mail mario.galante@studenti.unipd.it	ITALY	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
80.	GANAPATHY SUBRAMANIAN Vaitheeswaran Permanent Institute: Advanced Center of Research in High Energy Materials University of Hyderabad Prof. C. R. Rao Road Hyderabad 500 046 Telengana INDIA Permanent Institute e mail vaithee@uohyd.ac.in	INDIA	PARTICIPANT
81.	GE Xiaochuan Permanent Institute: Brookhaven National Laboratory Brookhaven avenue Upton 11973 NY UNITED STATES OF AMERICA Permanent Institute e mail ustcscgyer@gmail.com	PEOPLE'S REPUBLIC OF CHINA	PARTICIPANT
82.	GENOVA Alessandro Permanent Institute: Rutgers University Department of Chemistry Pavanello Research Group 73 Warren St Newark 07102 New Jersey UNITED STATES OF AMERICA Permanent Institute e mail alessandro.genova@rutgers.edu, ag985@rutgers.edu	ITALY	PARTICIPANT
83.	GERSTMANN Uwe Permanent Institute: University of Paderborn Department Physik Lehrstuhl Theoretische Physik Warburger Str. 100 D-33098 Paderborn GERMANY Permanent Institute e mail uwe.gerstmann@upb.de	GERMANY	PARTICIPANT
84.	GHOSH Sukanya Permanent Institute: Jawaharlal Nehru Centre for Advanced Scientific Research JNCASR Theoretical Sciences Unit Materials Theory Group Jakkur Bangalore 560064 Karnataka INDIA Permanent Institute e mail sukanyaghosh@jncasr.ac.in	INDIA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
85.	GIACOMAZZI Luigi Permanent Institute: CNR IOM Democritos Simulation Center and SISSA Scuola Internazionale Superiore di Studi Avanzati Via Bonomea 265 34136 Trieste ITALY Permanent Institute e mail giacomaz@sissa.it	ITALY	PARTICIPANT
86.	GIANNOZZI Paolo Permanent Institute: Dipartimento di Chimica Fisica e Ambiente Universita' di Udine Polo dei Rizzi Viale delle Scienze 208 33100 Udine ITALY Permanent Institute e mail paolo.giannozzi@uniud.it	ITALY	PARTICIPANT
87.	GIDOPOULOS Nikitas Ioannis Permanent Institute: Department of Physics Durham University South Road Durham DH1 3LE County Durham UNITED KINGDOM Permanent Institute e mail nikitias.gidopoulos@durham.ac.uk	GREECE	PARTICIPANT
88.	GONZALEZ HERNANDEZ Rafael Julian Permanent Institute: Departamento de Fisica Universidad del Norte Km 5 via a Puerto Colombia 575 Barranquilla Colombia COLOMBIA Permanent Institute e mail rhernandezj@uninorte.edu.co	COLOMBIA	PARTICIPANT
89.	GONZALEZ SALAZAR Jhon Wilfer Permanent Institute: Centro de FAsica de Materiales CSIC-UPV-EHU Material Physics Center MPC Paseo Manuel de Lardizabal 5 20018 San Sebastian SPAIN Permanent Institute e mail sgkgosaj@ehu.es	COLOMBIA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
90.	GORNI Tommaso Permanent Institute: Condensed Matter Theory Sector, International School of Advanced Studies SISSA Via Bonomea, 265 Trieste ITALY Permanent Institute e mail tgorni@sissa.it	ITALY	PARTICIPANT
91.	GOSALBEZ MARTINEZ Daniel Permanent Institute: Centro de FAsica de Materiales Universidad del Pais Vasco P Manuel de Lardizabal 5 E-20018 San Sebastian Gipuzkoa SPAIN Permanent Institute e mail daniel.gosalbez@ehu.es	SPAIN	PARTICIPANT
92.	GOVONI Marco Permanent Institute: Institute for Molecular Engineering The University of Chicago 5747 South Ellis Avenue Chicago 60637 Illinois UNITED STATES OF AMERICA Permanent Institute e mail mgovoni@uchicago.edu	ITALY	PARTICIPANT
93.	GRECO Andrea Permanent Institute: Imperial College London Physics Department Exhibition Road London SW7 2AZ UNITED KINGDOM Permanent Institute e mail andrea.greco11@imperial.ac.uk	ITALY	PARTICIPANT
94.	GULSEREN Oguz Permanent Institute: Bilkent University Faculty of Science Department of Physics 06800 Ankara TURKEY Permanent Institute e mail gulseren@fen.bilkent.edu.tr	TURKEY	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
95.	GUNES Metin Permanent Institute: Tunceli University Faculty of Engineering Computer Engineering Department Aktuluk Mah. Tunceli Universitesi Yerleskesi 62100 Tunceli TURKEY Permanent Institute e mail mgunes@tunceli.edu.tr	TURKEY	PARTICIPANT
96.	GUNTURU Krishna Chaitanya Permanent Institute: School of Chemical Sciences SRTM University Vishnupuri Nanded 431 606 Maharashtra INDIA Permanent Institute e mail krishnachaitanya.gunturu@gmail.com	INDIA Present institute: Materials Research Laboratory University of Nova Gorica Vipavska 11c Ajdovscina SLOVENIA Present Institute e mail kgunturu@ung.si Until when: 31 July 2015	PARTICIPANT
97.	GUPTA Sanjeev Kumar Permanent Institute: Dept. of Physics St. Xavier's College (Affiliated to Gujarat University) P.B. No. 4168, Ahmedabad 380 009 Gujarat INDIA Permanent Institute e mail sanjeev.gupta@sxca.edu.in	INDIA	PARTICIPANT
98.	GYGI Francois Permanent Institute: University of California at Davis Department of Physics One Shields Avenue Davis CA 95616-8677 UNITED STATES OF AMERICA Permanent Institute e mail fgygi@ucdavis.edu	SWITZERLAND	PARTICIPANT
99.	HAZRATI Ebrahim Permanent Institute: Radboud University Institute for Molecules and Materials Heyendaalseweg 135 Nijmegen NETHERLANDS Permanent Institute e mail ehazrati@gmail.com	NETHERLANDS	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
100.	HERBIG Alexander Permanent Institute: Karlsruhe Institute of Technology KIT Institute for Solid State Physics Hermann von Helmholtz Platz 1 76344 Eggenstein Leopoldshafen Baden Wuerttemberg GERMANY Permanent Institute e mail alexander.herbig@kit.edu	GERMANY	PARTICIPANT
101.	HERNANDEZ NIEVES Alexander David Permanent Institute: Centro Atomico Bariloche Instituto Balseiro CNEA Avenida Bustillo 9500 8400 San Carlos de Bariloche Rio Negro ARGENTINA Permanent Institute e mail alexande@cab.cnea.gov.ar,a_d_hernandez@yahoo.com	ARGENTINA	JUNIOR ASSOCIATE
102.	HUEBENER Hannes Permanent Institute: Centro Mari Joxe Korta University of the Basque Country UPV EHU Avenida de Tolosa 72 20018 San Sebastian SPAIN Permanent Institute e mail hannes.huebener@gmail.com	GERMANY	PARTICIPANT
103.	IMAM Mighfar Permanent Institute: The Abdus Salam International Centre for Theoretical Physics Strada Costiera, 11 Trieste 34151 ITALY Permanent Institute e mail mighfar@jncasr.ac.in	INDIA	PARTICIPANT
104.	JARDALI Fatme Permanent Institute: Laboratoire de Physique des Interfaces et des Couches Minces CNRS UMR7647 Ecole Polytechnique Route de Saclay 91128 Palaiseau Cedex FRANCE Permanent Institute e mail fatme.jardali@polytechnique.edu	LEBANON	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
105.	JUNQUERA QUINTANA Francisco Javier Permanent Institute: Universidad de Cantabria Ciencias de la Tierra y Fisica de la Materia Condensada Avda. de Los Castros s/n 39005 Santander SPAIN Permanent Institute e mail javier.junquera@unican.es	SPAIN	PARTICIPANT
106.	KANE Gaston Permanent Institute: Laboratoire des solides irradiés LSI Ecole Polytechnique Route de Saclay 91128 Palaiseau FRANCE Permanent Institute e mail gaston.kane@polytechnique.edu	BURKINA FASO	PARTICIPANT
107.	KIRKHAM Christopher James Permanent Institute: University of Tsukuba Center for Computational Sciences Division of Quantum Condensed Matter Physics 1-1-1 Tennodai Tsukuba 305-8577 Ibaraki JAPAN Permanent Institute e mail kirkham@cp.prec.eng.osaka-u.ac.jp	UNITED KINGDOM	PARTICIPANT
108.	KO Hsin Yu Permanent Institute: Department of Chemistry Princeton University Frick Chemistry Laboratory Princeton 08544 New Jersey UNITED STATES OF AMERICA Permanent Institute e mail hsinyu@princeton.edu	TAIWAN, CHINA	PARTICIPANT
109.	KOÇAK Aysegül Begüm Permanent Institute: Institut NEEL 25 rue des Martyrs 38042 Grenoble Isere FRANCE Permanent Institute e mail begum.kocak@neel.cnrs.fr	TURKEY	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
110.	KOUSER Summayya Permanent Institute: Jawaharlal Nehru Center for Advanced Scientific Research Jakkur Bangalore 560064 Karnataka INDIA Permanent Institute e mail kousersummayya@jncasr.ac.in	INDIA	PARTICIPANT
111.	KUEHNE Thomas Permanent Institute: University of Paderborn Department of Chemistry Warburger Str. 100 33098 Paderborn GERMANY Permanent Institute e mail tdkuehne@mail.upb.de	GERMANY	PARTICIPANT
112.	KUNC Karel Permanent Institute: University Pierre and Marie Curie Paris VI IMPMC Institute of Mineralogy and Physics of Condensed Matter Boite Courrier 115 4 Place Jussieu 75252 Paris Cedex 05 FRANCE Permanent Institute e mail karel.kunc@upmc.fr	FRANCE	PARTICIPANT
113.	LEONOV Ivan Permanent Institute: Theoretical Physics III Center for Electronic Correlations and Magnetism Institute of Physics, University of Augsburg Universitaetsstr. 1 86159 Augsburg GERMANY Permanent Institute e mail Ivan.Leonov@physik.uni-augsburg.de	RUSSIAN FEDERATION	PARTICIPANT
114.	LISENKOV Sergey Victorovich Permanent Institute: Department of Physics University of South Florida 4202 E Fowler Ave., PHY114 Tampa 33620 FL UNITED STATES OF AMERICA Permanent Institute e mail slisenk@usf.edu	UNITED STATES OF AMERICA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
115.	LUECKE Andreas Permanent Institute: University of Paderborn Faculty of Natural sciences Department of Physics Warburger Str. 100 33098 Paderborn GERMANY Permanent Institute e mail anlu@mail.uni-paderborn.de	GERMANY	PARTICIPANT
116.	M V Vasudevan Permanent Institute: Theoretical Sciences Unit Jawaharlal Nehru Centre for Advanced Scientific Research Jakkur Bangalore 560064 Karnataka INDIA Permanent Institute e mail vasumv@jncasr.ac.in	INDIA	PARTICIPANT
117.	MAMMEN Nisha Mariam Permanent Institute: Jawaharlal Nehru Centre for Advanced Scientific Research JNCASR Theoretical Sciences Unit Jakkur Bangalore 560064 Karnataka INDIA Permanent Institute e mail mnishas@jncasr.ac.in	INDIA	PARTICIPANT
118.	MANKAD Venu Permanent Institute: Surface and Interface Physics Division Institute of Physics Karl Franzens Universitaet Universitaetsplatz 5 A-8010 Graz AUSTRIA Permanent Institute e mail venu.mankad@uni-graz.at	INDIA	PARTICIPANT
119.	MARKOV Maksim Permanent Institute: Laboratoires des Solides Irradies LSI Ecole Polytechnique de Paris Route de Saclay 91128 Palaiseau Cedex Ile de France FRANCE Permanent Institute e mail markov@theory.polytechnique.fr	RUSSIAN FEDERATION	PARTICIPANT
		Present institute: Ecole Polytechnique Route de Saclay 91128 Palaiseau Ile de France FRANCE Present Institute e mail maksim.markov@polytechnique.edu	
		Until when:	1 October 2015

No.	NAME and INSTITUTE	Nationality	Function
120.	MARKOVIC Marijana Permanent Institute: Institute for Medical Research and Occupational Health Ksaverska cesta 2 HR-10001 Zagreb CROATIA Permanent Institute e mail mmarkov@imi.hr	CROATIA Institute of Physical and Theoretical Chemistry, Graz University of Technology Stremayrgasse 9 Graz AUSTRIA	PARTICIPANT marijana.markovic@tugraz.at 31 December 2014
121.	MARMODORO Alberto Permanent Institute: Max Planck Institute of Microstructure Physics Weinberg 2 D-06120 Halle GERMANY Permanent Institute e mail amarmodo@mpi-halle.mpg.de	ITALY	PARTICIPANT
122.	MARRAZZO Antimo Permanent Institute: Department of Physics University of Trieste Via Valerio 2 Trieste 34127 ITALY Permanent Institute e mail antimo.marrazzo@gmail.com	ITALY	PARTICIPANT
123.	MARSILI Margherita Permanent Institute: CNR Istituto Nanoscienze S3 Center Via Campi 213/A Modena 41125 ITALY Permanent Institute e mail margherita.marsili@nano.cnr.it	ITALY	PARTICIPANT
124.	MARTIN Alexandre Permanent Institute: Atomic Energy and Alternative Energies Commision CEA Bruyeres le Chatel Arpajon FRANCE Permanent Institute e mail alexandre.martin@cea.fr	FRANCE	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
125.	MASROUR Rachid Permanent Institute: Cady Ayyed University National School of Applied Sciences Laboratory of Materials, Processes, Environment and Quality Sidi Bouzid, P.B. 63 63 46000 Safi SAFI MOROCCO Permanent Institute e mail rachidmasrou@hotmai.com	MOROCCO	PARTICIPANT
126.	MCDERMOTT Eamon John Gordon Permanent Institute: Institute of Materials Chemistry TU Wien Getreidemarkt 9/165-TC 1060 Vienna AUSTRIA Permanent Institute e mail eamon.mcdermott@tuwien.ac.at	CANADA	PARTICIPANT
127.	MICCIARELLI Marco Permanent Institute: Scuola Internazionale Superiore di Studi Avanzati SISSA Condensed Matter Sector Via Bonomea, 265 34136 Trieste ITALY Permanent Institute e mail marco.micciarelli@sissa.it	ITALY	PARTICIPANT
128.	MIRANDA Caetano Rodrigues Permanent Institute: Universidade Federal do ABC UFABC Centro de Ciencias Naturais e Humanas CCNH Rua Santa Adélia- 166- Bairro Bangu Santo Andre 09210-170 SP BRAZIL Permanent Institute e mail caetano.miranda@ufabc.edu.br	BRAZIL	PARTICIPANT
129.	MIYAZAKI Tsuyoshi Permanent Institute: National Institute for Materials Science 1-1 Namiki Tsukuba 305-0044 Ibaraki JAPAN Permanent Institute e mail MIYAZAKI.Tsuyoshi@nims.go.jp	JAPAN	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
130.	MOYNIHAN Glenn Permanent Institute: CRANN Institute School of Physics Trinity College College Green 0000 Dublin 2 IRELAND Permanent Institute e mail omuinneg@tcd.ie	IRELAND	PARTICIPANT
131.	NADIMI Ebrahim Permanent Institute: K. N. Toosi University of Technology Seyedkhandan, Dr. Shariati Ave Tehran Iran ISLAMIC REPUBLIC OF IRAN Permanent Institute e mail nadimi@eetd.kntu.ac.ir	GERMANY	PARTICIPANT
132.	NAJI Sufyan Saleh Ahmed Permanent Institute: Science faculty Physics department Ibb University University street 70270 Ibb REPUBLIC OF YEMEN Permanent Institute e mail sufyan.naji@gmail.com	REPUBLIC OF YEMEN	KFAS PARTICIPANT
133.	NAKATA Ayako Permanent Institute: International Center for Young Scientist National Institute for Materials Science 1-1 Namiki Tsukuba 305-0044 Ibaraki JAPAN Permanent Institute e mail NAKATA.Ayako@nims.go.jp	JAPAN	PARTICIPANT
134.	NEGI Sunita Permanent Institute: Cluster Innovation Centre University of Delhi Rugby Sevens Building, University Stadium Delhi 011-110007 Delhi INDIA Permanent Institute e mail negisunita.81@gmail.com	INDIA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
135.	NOH Ji Young Permanent Institute: Computational Nano Physics Lab Department of Physics Sookmyung Women's University Cheongpa-ro 47-gil 100 Seoul 140-742 REPUBLIC OF KOREA Permanent Institute e mail jyn1024@sookmyung.ac.kr	REPUBLIC OF KOREA	PARTICIPANT
136.	NOURBAKHSH Zahra Permanent Institute: Institute for Research in Fundamental Science 'IPM' Niavaran Square 11369 Tehran ISLAMIC REPUBLIC OF IRAN Permanent Institute e mail z.nourbakhsh@gmail.com	ISLAMIC REPUBLIC OF IRAN	PARTICIPANT
137.	ONIDA Giovanni Permanent Institute: Universita' degli Studi di Milano Dipartimento di Fisica Via Celoria, 16 20133 Milano ITALY Permanent Institute e mail giovanni.onida@mi.infn.it	ITALY	PARTICIPANT
138.	ONO Tomoya Permanent Institute: Graduate School of Engineering Prec. Sci. Tech. Department Osaka University 2-1, Yamada-oka, Suita Osaka 565-0871 JAPAN Permanent Institute e mail ono@ccs.tsukuba.ac.jp	JAPAN	PARTICIPANT
139.	ONUORAH Ifeanyi John Permanent Institute: Department of Physics and Astronomy Faculty of Physical Sciences University of Nigeria Campus Road Nsukka +234 ENUGU NIGERIA Permanent Institute e mail onuorahanyi@yahoo.com	NIGERIA	PARTICIPANT
		Present institute: Department of Physics, University of Trieste. Fabio Severo Trieste 35100 Trieste ITALY Present Institute e mail ionuorah@ictp.it Until when: 31 December 2015	

No.	NAME and INSTITUTE	Nationality	Function
140.	ORHAN Okan Karaca Permanent Institute: School of Physics Trinity College Dublin College Green Dublin 2 IRELAND Permanent Institute e mail orhano@tcd.ie	TURKEY	PARTICIPANT
141.	OTUNGA Henry Odhiambo Permanent Institute: Maseno University Faculty of Science Department of Physics P.O. Private Bag Maseno KENYA Permanent Institute e mail henod2001@yahoo.com	KENYA	PARTICIPANT
142.	PAL Koushik Permanent Institute: Jawaharlal Nehru Centre for Advanced Scientific Research Chemistry and Physics of Materials Unit CPMU Materials Theory Group Amruthahalli Main road Bangalore 560064 Karnataka INDIA Permanent Institute e mail koushik.pal.physics@gmail.com, koushik@jncasr.ac.in	INDIA	PARTICIPANT
143.	PAMUK KURTCEPHE Betul Permanent Institute: IMPMC Institut de Mineralogie, de Physique des Milieux Condenses de Paris CNRS, Sorbonne University, UPMC 4 Place Jussieu 75252 Paris Cedex05 FRANCE Permanent Institute e mail betul.pamuk@impmc.upmc.fr	TURKEY	PARTICIPANT
144.	PANHOLZER Martin Permanent Institute: Center for Surface and Nanoanalytics Johannes Kepler University Altenberger Str. 69 4040 Linz AUSTRIA Permanent Institute e mail martin.panholzer@jku.at	AUSTRIA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
145.	PANOSETTI Chiara Permanent Institute: Lehrstuhl fuer Theoretische Chemie Technische Universitaet Muenchen Lichtenbergstr. 4 85748 Garching B Muenchen GERMANY Permanent Institute e mail chiara.panosetti@ch.tum.de	ITALY	PARTICIPANT
146.	PARIS Chiara Permanent Institute: Department of Physics King's College London The Strand London WC2R 2LS UNITED KINGDOM Permanent Institute e mail chiara.1.paris@kcl.ac.uk	ITALY	PARTICIPANT
147.	PATRICK Christopher Permanent Institute: Center for Atomic-Scale Materials Design Department of Physics Technical University of Denmark Fysikvej DK-2800 Kongens Lyngby DENMARK Permanent Institute e mail chripa@fysik.dtu.dk	UNITED KINGDOM	PARTICIPANT
148.	PAULATTO Lorenzo Permanent Institute: University Pierre and Marie Curie Paris VI IMPMC Institute of Mineralogy and Physics of Condensed Matter Boite Courrier 115 4 Place Jussieu 75252 Paris Cedex 05 FRANCE Permanent Institute e mail lorenzo.paulatto@imPMC.upmc.fr	ITALY	PARTICIPANT
149.	PEREIRA CARDOSO Claudia Maria Permanent Institute: S3 Center Istituto Nanoscienze CNR via Campi 213/A 41125 Modena ITALY Permanent Institute e mail claudia.cardoso@nano.cnr.it	PORTUGAL	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
150.	PERESSI Maria Permanent Institute: Department of Physics University of Trieste Strada Costiera 11 34151 Trieste ITALY Permanent Institute e mail peressi@ts.infn.it	ITALY	PARTICIPANT
151.	PHAM Cong Huy Permanent Institute: Institute of Physics Center for Theoretical Physics 10 Dao Tan Street, Ba Dinh district Hanoi VIET NAM Permanent Institute e mail pchuy@iop.vast.ac.vn	VIET NAM Present institute: International School for Advanced Studies SISSA via Bonomea, 265 34136 Trieste ITALY Present Institute e mail cpham@sissa.it Until when: 30 October 2015	PARTICIPANT
152.	PIVIDORI Marco Permanent Institute: University of Trieste, Department of Physics via Valerio 2 Trieste 34127 ITALY Permanent Institute e mail marco.pividori@phd.units.it	ITALY	PARTICIPANT
153.	PREZZI Deborah Permanent Institute: Centro S3, CNR-Istituto Nanoscienze via G. Campi 213/a 41124 Modena ITALY Permanent Institute e mail deborah.prezzi@unimore.it	ITALY	PARTICIPANT
154.	PRUSSEL Lucie Permanent Institute: Laboratoire des Solides Irradies Ecole Polytechnique Route de Saclay 91128 Palaiseau FRANCE Permanent Institute e mail prussel@theory.polytechnique.fr	FRANCE	PARTICIPANT
155.	RAULS Eva Permanent Institute: Department of Physics University of Paderborn Warburger Str. 100 33098 Paderborn NRW GERMANY	UNKNOWN	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
156.	RAVIKUMAR Abhilash Permanent Institute: Department of Materials Science University of Milano Bicocca Piazza dell'Ateneo Nuovo 1 21026 Milano ITALY Permanent Institute e mail a.ravikumar@campus.unimib.it	INDIA	PARTICIPANT
157.	REFSON Keith Permanent Institute: Science & Technology Facilities Council Rutherford Appleton Laboratory Harwell Science & Innovation Campus Didcot OX11 0QX Oxfordshire UNITED KINGDOM Permanent Institute e mail keith.refson@stfc.ac.uk	UNITED KINGDOM	PARTICIPANT
158.	REYES RETANA Jose Angel Permanent Institute: Universidad Iberoamericana Prolongacion Paseo de la Reforma 880 Lomas de Santa Fe Mexico City 01219 Distrito Federal MEXICO Permanent Institute e mail amorpho@ciencias.unam.mx	MEXICO	PARTICIPANT
159.	REZAEI BADAFSHANI Nafiseh Permanent Institute: Department of Physics Isfahan University of Technology IUT Emam Khomeini Isfahan ISLAMIC REPUBLIC OF IRAN Permanent Institute e mail nafiserb@gmail.com	ISLAMIC REPUBLIC OF IRAN	PARTICIPANT
160.	REZAEI SANI Seyed Mojtaba Permanent Institute: Institute for Research in Fundamental Sciences Department of Nano-Science Shahid Lavasani st, No. 1, Shahid Farbin Alley 19395-5531 Tehran ISLAMIC REPUBLIC OF IRAN Permanent Institute e mail s.m.rezaeisani@ipm.ir	ISLAMIC REPUBLIC OF IRAN	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
161.	RIGNANESE Gian-Marco	BELGIUM	PARTICIPANT
	Permanent Institute: Universite Catholique de Louvain Unite de Physico-Chimie et Physique des Materiaux Batiment Boltzmann Place Croix Du Sud 1 B-1348 Louvain La Neuve BELGIUM Permanent Institute e mail gian-marco.rignanese@uclouvain.be		
162.	RIOS RAMIREZ Jose Jorge	MEXICO	PARTICIPANT
	Permanent Institute: Institut fuer Energie und Klimaforschung IEK-6 Nukleare Entsorgung Forschungszentrum Juelich GmbH Wilhel-Johnen-Strasse 52425 Juelich GERMANY Permanent Institute e mail j.rios.ramirez@fz-juelich.de		
163.	ROCCA Dario	ITALY	PARTICIPANT
	Permanent Institute: Universite de Lorraine Faculte des Sciences et Techniques Boulevard des Aiguillettes BP239 54506 Nancy France FRANCE Permanent Institute e mail dario.rocca@univ-lorraine.fr		
164.	ROSA Marta	ITALY	PARTICIPANT
	Permanent Institute: Scuola Internazionale Superiore di Studi Avanzati via Bonomea, 265 Trieste ITALY Permanent Institute e mail mrosa@sissa.it		
165.	ROY Prasenjit	INDIA	PARTICIPANT
	Permanent Institute: Institute of Molecules and Materials Radboud University Nijmegen Heyendaalseweg 135 6525AJ Nijmegen Gelderland NETHERLANDS Permanent Institute e mail prasenjit1988@gmail.com		

No.	NAME and INSTITUTE	Nationality	Function
166.	RUINI Alice Permanent Institute: Istituto Nanoscienze CNR NANO S3 Via Campi 213/A 41100 Modena ITALY Permanent Institute e mail alice.ruini@unimore.it	ITALY	PARTICIPANT
167.	SADAT NABI Hasan Permanent Institute: Infineon Technology AG Wernerwerkstr 2 93049 Regensburg GERMANY Permanent Institute e mail hasansadat.nabi@infineon.com	ISLAMIC REPUBLIC OF IRAN	PARTICIPANT
168.	SCHAFFHAUSER Philipp Permanent Institute: Lehrstuhl Theoretische Physik IV Universitaet Bayreuth Universitaetsstrasse Bayreuth GERMANY Permanent Institute e mail philipp.schaffhauser@uni-bayreuth.de	GERMANY	PARTICIPANT
169.	SCHMIDT Tobias Permanent Institute: Theoretical Physics IV University of Bayreuth Universitaetsstrasse 30 95447 Bayreuth GERMANY Permanent Institute e mail tobias.schmidt@uni-bayreuth.de	GERMANY	PARTICIPANT
170.	SCHOBER Christoph Otto Permanent Institute: Lehrstuhl fuer Theoretische Chemie Department of Chemistry TU Muenchen Lichtenbergstr. 4 85747 Garching GERMANY Permanent Institute e mail christoph.schober@ch.tum.de	GERMANY	PARTICIPANT
171.	SHARMA Devina Permanent Institute: Jawaharlal Nehru Centre for Advanced Scientific Research, JNCASR Jakkur Bangalore 560064 Karnataka INDIA Permanent Institute e mail devina@jncasr.ac.in	INDIA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
172.	SIMS Hunter Robert Permanent Institute: German Research School for Simulation Sciences Wilhelm-Johnen-Str. 52425 Juelich GERMANY Permanent Institute e mail h.sims@grs-sim.de	UNITED STATES OF AMERICA	PARTICIPANT
173.	SOHIER Thibault Permanent Institute: Universite Pierre et Marie Curie Institut de Mineralogie, de Physique des Materiaux et de Cosmochimie IMPMC 4, place Jussieu 75005 Paris FRANCE Permanent Institute e mail thibault.sohier@impmc.upmc.fr	FRANCE	PARTICIPANT
174.	SOLER Jose Maria Permanent Institute: Universidad Autonoma de Madrid Dep.To de Fisica Teorica de La Materia Condensada Facultad de Ciencias Ciudad Universitaria Cantoblanco E-28049 Madrid SPAIN Permanent Institute e mail jose.soler@uam.es	SPAIN	PARTICIPANT
175.	SONI Himadriben Rajendrakumar Permanent Institute: Lehrstuhl fuer Theoretische Chemie Friedrich-Alexander Universitaet Erlangen-Nuernberg Egerlandstrasse 3 91058 Erlangen GERMANY Permanent Institute e mail himadri.soni@fau.de	INDIA	PARTICIPANT
176.	SOUZA Ivo Nuno Permanent Institute: Centro de Fisica de Materiales Universidad del Pais Vasco Paseo Manuel de Lardizabal 5 20018 San Sebastian Gipuzkoa SPAIN Permanent Institute e mail ivo_souza@ehu.es	PORTUGAL	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
177.	SYZGANTSEVA Olga Permanent Institute: Aalto University Otakaari 1 00076 Espoo FINLAND Permanent Institute e mail olga.syzgantseva@aalto.fi	RUSSIAN FEDERATION	PARTICIPANT
178.	TALEATU Bidini Alade Permanent Institute: Obafemi Awolowo University Faculty of Science Department of Physics Ile Ife 220005 Osun State NIGERIA Permanent Institute e mail bdntaleatu@oauife.edu.ng	NIGERIA Present institute: Elettra Sincrotrone Strada Statale 14 - km 163,5 34014 TRIESTE ITALY Until when: 31 May 2015	PARTICIPANT
179.	TIMROV Iurii Permanent Institute: SISSA Scuola Internazionale Superiore di Studi Avanzati via Bonomea, 265 Trieste 34151 ITALY Permanent Institute e mail itimrov@sissa.it	UKRAINE	PARTICIPANT
180.	TIRFFE Yonas Mulugeta Permanent Institute: Aksum University Collage of Natural and Computational Science Department of Physics P.O. Box 1010 Aksum Tigray ETHIOPIA Permanent Institute e mail yonasmulugeta2004@yahoo.com	ETHIOPIA	PARTICIPANT
181.	TORRENT Marc Permanent Institute: Departement de Physique Theorique et Appliquee Commissariat a l'Energie Atomique et aux Energies Alternatives Bruyeres-le-Chatel 91297 Arpajon FRANCE Permanent Institute e mail marc.torrent@cea.fr	FRANCE	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
182.	TRIONI Mario Italo Permanent Institute: CNR National Research Council of Italy Institute of Molecular Science and Technology ISTM Via Golgi 19 20133 Milano ITALY Permanent Institute e mail m.trioni@istm.cnr.it	ITALY	PARTICIPANT
183.	TRIPATHI Pushendra Permanent Institute: Aligarh Muslim University Department of Applied Physics, ZHCET Centre of Excellence of Nanomaterials Aligarh 202002 Uttar Pradesh INDIA Permanent Institute e mail ptrip71@yahoo.com	INDIA	PARTICIPANT
184.	TRIVEDI Ravi Kumar Permanent Institute: Birla Institute of Technology and Science Gnadh Marg, Bits Pilani 333031 Rajasthan INDIA Permanent Institute e mail ravi.trivedi75@yahoo.com	INDIA	PARTICIPANT
185.	TZAVALA Marilena Permanent Institute: Ecole Polytechnique Laboratoire des Solides Irradies ETSF Palaiseau Cedex 91120 Paris FRANCE Permanent Institute e mail marilena.tzavala@polytechnique.edu	GREECE	PARTICIPANT
186.	UCAR Sevilay Permanent Institute: Maltepe University Faculty of Engineering and Natural Sciences Industrial Engineering Department Marmara egitim Koiu, Marmara universitesi Basibuyuk 34857 Istanbul Maltepe TURKEY Permanent Institute e mail seviucar@istanbul.edu.tr	TURKEY	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
187.	ULMAN Kanchan Ajit Permanent Institute: Condensed Matter and Statistical Physics Abdus Salam International Centre for Theoretical Physics Strada Costiera 11 Trieste 34151 ITALY Permanent Institute e mail kulman@ictp.it	INDIA Present institute: The Abdus Salam International Centre for Theoretical Physics Condensed Matter and Statistical Physics Section Strada Costiera 11 34151 Trieste ITALY Until when:	PARTICIPANT 4 October 2016
188.	UMARI Paolo Permanent Institute: Universita degli Studi di Padova Dipartimento di Fisica e Astronomia via Marzolo 8 Padova ITALY Permanent Institute e mail paolo.umari@unipd.it	ITALY	PARTICIPANT
189.	VANDERBILT David Hamilton Permanent Institute: Rutgers, The State University of New Jersey Department of Physics & Astronomy 136 Frelinghuysen Road Piscataway NJ 08855-0849 UNITED STATES OF AMERICA Permanent Institute e mail dhv@physics.rutgers.edu	UNITED STATES OF AMERICA	SPECIAL INVIT. GUEST
190.	VARINI Nicola Permanent Institute: Ecole Polytechnique Federal de Lausanne EPFL, SB ISIC LSU CH1015 Lausanne SWITZERLAND Permanent Institute e mail nicola.varini@epfl.ch	ITALY	PARTICIPANT
191.	VARSANO Daniele Permanent Institute: CNR, Institute of Nanoscience Via Campi 213/A Modena 41125 ITALY Permanent Institute e mail daniele.varsano@nano.cnr.it	ITALY	PARTICIPANT
192.	WANG Jian Permanent Institute: School of Science Huzhou University Zhejiang 313000 PEOPLE'S REPUBLIC OF CHINA Permanent Institute e mail jwang572@hotmail.com	PEOPLE'S REPUBLIC OF CHINA	PARTICIPANT

No.	NAME and INSTITUTE	Nationality	Function
193.	WANG Shudong Permanent Institute: CNR-NANO S3, Institute for Nanoscience Via Campi 213/A Modena 41125 Emilia-Romagna ITALY Permanent Institute e mail sd.wang000@gmail.com	PEOPLE'S REPUBLIC OF CHINA	PARTICIPANT
194.	WINKLER Blaz Permanent Institute: Materials Research Laboratory University of Nova Gorica Vipavska 11c 5000 Ajdovscina SLOVENIA Permanent Institute e mail blaz.winkler@gmail.com	SLOVENIA	PARTICIPANT
195.	WOZNIAK Tomasz Permanent Institute: Departament of Theoretical Physics wyb. Wyspianskiego 27 50-370 Wroclaw POLAND Permanent Institute e mail 184152@student.pwr.edu.pl	POLAND	PARTICIPANT
196.	ZOLFAGHARI Pegah Permanent Institute: Institute for Molecules and Materials Radboud University Heyendaalseweg 135 6525 AJ Nijmegen NETHERLANDS Permanent Institute e mail zolfaghari@science.ru.nl	ISLAMIC REPUBLIC OF IRAN	PARTICIPANT